


Shoulder & Elbow



Content

Rotator Cuff Repair.....	03
Treatment of Shoulder Instabilities	13
Reconstruction of Bony Glenoid Rim Defects	21
Spears for Glenohumeral Stabilization	27
Instruments for Suture Management and Footprint Refreshment.....	31
Arthroscopic Cannulas	47
Shoulder Repair Set	53
AC Reconstruction Systems	57
Biceps Tenodesis and Pectoralis Major Repair	63
Elbow Arthroscopy Set and UCL.....	71
Clavicle Plate and Screw System	75
FiberWire Suture	81
Limb Positioning Devices	89
Anchor Chart Rotator Cuff.....	97
Anchor Chart SLAP and Bankart Repair.....	103





Rotator Cuff Repair

BioComposite™ Corkscrew® FT	04
PEEK Corkscrew® FT	04
BioComposite™, PEEK or Bio-Corkscrew® FT Instrumentation	05
Titanium Corkscrew® FT	06
Bio-Corkscrew® FT	06
PushLock®	07
PushLock® SP	07
SwiveLock® C	08
SwiveLock® SP	09
PEEK und Bio-SwiveLock™	09
FiberTape®	10
Bio-Corkscrew® Suture Anchor	11

Corkscrew® FT Suture Anchors

The fully threaded design over the entire length of the suture anchor provides substantially higher pull-out strength than comparable anchors. The recessed FiberWire suture eyelet is self-aligning and minimizes suture abrasion during knot tying.




The resorbable BioComposite suture anchor is made of PLLA and 15% beta-tricalcium phosphate. Studies suggest that early bone formation can be associated with the favorable osteoconductive as well as bioresorbable properties within of β -TCP (tricalcium phosphate).

The Corkscrew FT suture anchors are fully threaded PEEK anchors that maximize fixation in cortical bone. PEEK is a thermoplastic material with excellent biocompatibility and biostability characteristics.

Product Description	Item No.
BioComposite™ Corkscrew® FT, 4.5 mm x 14 mm, w/two #2 FiberWire®	AR-1927BCF-45
BioComposite™ Corkscrew® FT, 5.5 mm x 14.7 mm, w/two #2 FiberWire®	AR-1927BCF
BioComposite™ Corkscrew® FT, 5.5 mm x 14.7 mm, w/two #2 TigerTail®	AR-1927BCFT
BioComposite™ Corkscrew® FT w/four needles, 5.5 mm x 14.7 mm, w/two #2 FiberWire®	AR-1927BCNF
BioComposite™ Corkscrew® FT, 5.5 mm x 14.7 mm, w/three #2 FiberWire®	AR-1927BCF-3
BioComposite™ Corkscrew® FT, 6.5 mm x 14.7 mm, w/two #2 FiberWire®	AR-1927BCF-65

Product Description	Item No.
PEEK Corkscrew® FT, 4.5 mm x 14 mm, w/two #2 FiberWire®	AR-1927PSF-45
PEEK Corkscrew® FT, w/four needles, 4.5 mm x 14 mm, w/two #2 FiberWire®	AR-1927PNF-45
PEEK Corkscrew® FT, 5.5 mm x 14.7 mm, w/two #2 FiberWire®	AR-1927PSF
PEEK Corkscrew® FT, w/four needles, 5.5 mm x 14.7 mm, w/two #2 FiberWire®	AR-1927PNF
PEEK Corkscrew® FT, 5.5 mm x 14.7 mm, w/three #2 FiberWire®	AR-1927PSF-3
PEEK Corkscrew® FT, 6.5 mm x 14.7 mm, w/two #2 FiberWire®	AR-1927PSF-65


BioComposite™, PEEK or Bio-Corkscrew® FT Instrumentation



Product Description	Item No.
Punch for 5.5 mm Corkscrew® FT and 4.75 mm and 5.5 mm SwiveLock®	AR-1927PB
Punch/tap for 5.5 mm Corkscrew® FT and 5.5 mm SwiveLock®	AR-1927CTB
Punch for 4.5 mm PushLock® and 4.5 mm Corkscrew® FT	AR-1922P
Punch/tap for 4.5 mm Corkscrew® FT	AR-1927PTB-45
Disposable punch for 4.5 mm PushLock® and 4.5 mm Corkscrew® FT	AR-1922PBS
Disposable punch for 5.5 mm Corkscrew® FT and 4.75 mm and 5.5 mm SwiveLock®	AR-1927PBS
Spade tip drill for 5.5 mm Corkscrew® FT and 4.75 mm and 5.5 mm SwiveLock®	AR-1927D

(In hard bone, a drill may be used to prevent bone cracks)


Titanium Corkscrew® FT



The Corkscrew FT suture anchors are fully threaded titanium anchors that maximize fixation in cortical bone and rarely require predrilling or prepunching.

Product Description	Item No.
Corkscrew® FT, 4.5 mm x 14 mm, w/two #2 FiberWire®	AR-1928SF-45
Corkscrew® FT II, 5.5 mm x 16.3 mm, w/two #2 FiberWire®	AR-1928SF-2
Corkscrew® FT w/four needles, 5.5 mm x 16.3 mm, w/two #2 FiberWire®	AR-1928SNF-2
Corkscrew® FT II, 5.5 mm x 16.3 mm, w/two #2 TigerTail®	AR-1928SFT-2
Corkscrew® FT III, 5.5 mm x 16.3 mm, w/three #2 FiberWire®	AR-1928SF-3
Corkscrew® FT III, 6.5 mm x 16.3 mm, w/three #2 FiberWire®	AR-1929SF-3


Bio-Corkscrew® FT



The Bio-Corkscrew FT is a bioabsorbable PLLA suture anchor.

Product Description	Item No.
Bio-Corkscrew® FT, 4.5 mm x 14 mm, w/two #2 FiberWire®	AR-1927BF-45
Bio-Corkscrew® FT, 4.5 mm x 14 mm, w/two #2 TigerTail®	AR-1927BFT-45
Bio-Corkscrew® FT, w/four needles, 4.5 mm x 14 mm, w/two #2 FiberWire®	AR-1927BNF-45
Bio-Corkscrew® FT, 5.5 mm x 14.7 mm, w/two #2 FiberWire®	AR-1927BF
Bio-Corkscrew® FT, w/four needles, 5.5 mm x 14.7 mm, w/two #2 FiberWire®	AR-1927BNF
Bio-Corkscrew® FT, 5.5 mm x 14.7 mm, w/two #2 TigerTail®	AR-1927BFT
Bio-Corkscrew® FT, 5.5 mm x 14.7 mm, w/two #2 TigerTail®	AR-1927BFC
Bio-Corkscrew® FT, 5.5 mm x 14.7 mm, w/FiberChain®	AR-1927BFCF
Bio-Corkscrew® FT, 5.5 mm x 14.7 mm, w/FiberChain® and #2 FiberWire®	AR-1927BNP4
Bio-Corkscrew® FT, w/four NeedlePunch®, 5.5 mm x 14.7 mm, w/two #2 FiberWire®	AR-1927BNP4
Bio-Corkscrew® FT, 5.5 mm x 14.7 mm, w/three #2 FiberWire®	AR-1927BF-3
Bio-Corkscrew® FT, 6.5 mm x 14.7 mm, w/two #2 FiberWire®	AR-1927BF-65
Convenience Kit	
Bio-Corkscrew® FT, 5.5 mm x 14.7 mm, w/two #2 FiberWire® and AR-13990N Scorpion™ needle	AR-1927BFS


PushLock®



The 4.5 mm PushLocks are knotless anchors used for rotator cuff repair. The unique PushLock design allows the surgeon to adjust the amount of tension on the tissue intraoperatively.

Product Description	Item No.
BioComposite™ PushLock®, 4.5 mm x 24 mm	AR-1922BC
PEEK PushLock®, 4.5 mm x 24 mm	AR-1922PS
Bio-PushLock™, 4.5 mm x 24 mm	AR-1922B
Required Instruments	
Punch for 4.5 mm PushLock® and 4.5 mm Corkscrew® FT	AR-1922P


PushLock® SP



The 4.5 mm PushLock SP was developed to help speed completion of a SutureBridge. The titanium tip minimizes the need to prepare a bone socket for the lateral row.

Product Description	Item No.
BioComposite™ PushLock® SP, 4.5 mm x 28 mm	AR-1922BCM
PEEK PushLock® SP, 4.5 mm x 28 mm	AR-1922PSM
Bio-PushLock™ SP, 4.5 mm x 28 mm	AR-1922BM

SwiveLock® C



The SwiveLock C is a knotless anchor for suture fixation. The anchor consists of a PEEK eyelet and an anchor body made of PEEK or bioabsorbable PLLA or BioComposite. Anchors with a preloaded FiberTape or TigerTape loop are available for SpeedFix and SpeedBridge. They end in a single FiberWire which can be guided through the cuff with a Scorpion suture passer.

Product Description	Item No.
BioComposite™ SwiveLock® C, 4.75 mm x 19.1 mm	AR-2324BCC
BioComposite™ SwiveLock® C, 4.75 mm x 19.1 mm, w/blue FiberTape® loop	AR-2324BCCT
BioComposite™ SwiveLock® C, 4.75 mm x 19.1 mm, w/white/black TigerTape™ loop	AR-2324BCCTT
PEEK SwiveLock® C, 4.75 mm x 19.1 mm	AR-2324PSLC
Bio-SwiveLock™ C, 4.75 mm x 19.1 mm	AR-2324BSLC
Bio-SwiveLock™ C, 4.75 mm x 19.1 mm, w/FiberTape® loop	AR-2324BSLT
BioComposite™ SwiveLock® C, 5.5 mm x 19.1 mm	AR-2323BCC
PEEK SwiveLock® C, 5.5 mm x 19.1 mm	AR-2323PSLC
Bio-SwiveLock™ C, 5.5 mm x 19.1 mm	AR-2323BSLC

Bio-SwiveLock™ C SpeedBridge™ Kit

Product Description	Item No.
Four 4.75 mm Bio-SwiveLock™ C, and one each FiberTape®, TigerTape™, FiberLink™ and disposable punch	AR-2600SBS-2

BioComposite™ SwiveLock® C SpeedBridge™ Kit


Product Description	Item No.
Two 4.75 mm BioComposite™ SwiveLock® C w/one preloaded FiberTape® (one blue, one white/black) for medial row, two 4.75 mm BioComposite™ SwiveLock® C for lateral row, one disposable punch	AR-2600SBS-4

SpeedBridge kits include all implants and FiberTapes necessary to perform a SpeedBridge repair.

SwiveLock® – Required Instruments

Product Description	Item No.
Punch for 5.5 mm Corkscrew® FT and 4.75 mm and 5.5 mm SwiveLock®	AR-1927PB
Disposable punch for 5.5 mm Corkscrew® FT and 4.75 mm and 5.5 mm SwiveLock®	AR-1927CTB
Punch/tap for 4.75 mm SwiveLock®	AR-2324PTB

SwiveLock® SP



The SwiveLock SP combines a titanium tip with the anchor body. This saves valuable OR time, since no tunnel needs to be prepunched.

Product Description	Item No.
BioComposite™ SwiveLock® SP, 4.75 mm x 24.5 mm, self-punching	AR-2324BCM
PEEK SwiveLock® SP, 4.75 mm x 24.5 mm	AR-2324PSLM
Titanium SwiveLock® SP, 4.75 mm x 24.5 mm	AR-2324SLM
Bio-SwiveLock™ SP, 4.75 mm x 24.5 mm	AR-2324BSLM
BioComposite™ SwiveLock® SP, 5.5 mm x 24.5 mm, vented	AR-2323BCM
PEEK SwiveLock®, 5.5 mm x 24.5 mm	AR-2323PSLM
Titanium SwiveLock® SP, 5.5 mm x 24.5 mm	AR-2323SLM
Bio-SwiveLock™ SP, 5.5 mm x 24.5 mm	AR-2323BSLM

Self-Punching Bio-SwiveLock™ SpeedBridge™ Kit

Product Description	Item No.
Four 4.75 mm Bio-SwiveLock™ SP and one each FiberTape®, TigerTape™ and FiberLink™	AR-2600SBS-3

Self-Punching Bio-SwiveLock™ SpeedBridge™ Kit

Product Description	Item No.
Two 4.75 mm BioComposite™ SwiveLock® C w/one preloaded FiberTape® (one blue, one white/black) for medial row, two 5.5 mm BioComposite™ SwiveLock® SP for lateral row, one disposable punch	AR-2600SBS-5


Self-punching SpeedBridge kits include all implants and FiberTapes necessary to perform a SpeedBridge repair.

PEEK und Bio-SwiveLock™



The SwiveLock with a forked tip can be used with FiberChain for rotator cuff treatment.


Product Description	Item No.
Bio-SwiveLock™, 4.75 mm x 20 mm	AR-2324BSL
Bio-SwiveLock™, 5.5 mm x 20 mm	AR-2323BSL
PEEK-SwiveLock®, 5.5 mm x 20 mm	AR-2323PSL
FiberChain®, #2 FiberWire® w/ten, 7 mm long loops (required w/SwiveLock®, five per box)	AR-7270
Bio-Corkscrew® FT, 5.5 mm x 15 mm, w/FiberChain®	AR-1927BFC
Bio-Corkscrew® FT, 5.5 mm x 15 mm, w/FiberChain®, FiberWire®	AR-1927BFCF
FiberChain® grasper w/SR handle	AR-13950SR



FiberTape is an ultra-high-strength, approx. 2 mm wide tape using a long-chain polyethylene structure similar to the FiberWire suture. The wide FiberTape is ideally suited for high-demand applications such as AC joint repair as well as the reconstruction of degenerated rotator cuffs where tissue pull-through may be a concern.

Product Description	Item No.
FiberTape®, 2 mm, 36" / 91 cm tape with each end tapered to #2 FiberWire®, 54" / 137 cm	AR-7237
FiberTape®, 2 mm, 7" / 18 cm (blue), each end tapered to #2 FiberWire®, 30" / 76 cm	AR-7237-7
TigerTape™, 2 mm, 7" / 18 cm (white/black) each end tapered to #2 TigerTape™, 30" / 76 cm	AR-7237-7T
FiberTape®, 2 mm, 17" / 43 cm (blue), each end tapered to #2 FiberWire® w/tapered needle, 26.5 mm ½ circle	AR-7237-17N
FiberTape® suture retriever with SR handle	AR-13974SR
FiberTape® suture retriever w/WishBone™ handle	AR-13974W
FiberTape® cutter	AR-13250
FiberTape® cutter w/WishBone™ handle	AR-13250W

Bio-Corkscrew® Suture Anchor



The Bio-Corkscrew suture anchor is made of PLDLA and has an integrated suture eyelet. In the case of hard bone, a tap must be used in addition to the punch.

Product Description	Item No.
Bio-Corkscrew®, w/NeedlePunch®, 5 mm x 17.9 mm, w/two #2 FiberWire®	AR-1920BNP
Bio-Corkscrew®, 5 mm x 17.9 mm w/two #2 FiberWire®	AR-1920BF
Bio-Corkscrew®, 5 mm x 17.9 mm, w/two #2 TigerTail®	AR-1920BFT
Bio-Corkscrew®, 6.5 mm x 17.9 mm w/two #2 FiberWire®	AR-1925BF
For Open Interventions	
Bio-Corkscrew® w/needles, 5 mm x 17.9 mm, w/two #2 FiberWire®	AR-1920BNF
Bio-Corkscrew® w/needles, 6.5 mm x 17.9 mm, w/two #2 FiberWire®	AR-1925BNF
Required Instrumentation	
Punch for 5 mm and 6.5 mm Bio-Corkscrew®	AR-1920PB
Punch/tap for 5 mm Bio-Corkscrew®	AR-1920PTB
Optional Instrument	
Cutting punch for 5 mm and 6.5 mm Bio-Corkscrew®	AR-1920CPB
Punch/tap for 6.5 mm Bio-Corkscrew®	AR-1925PTB



Treatment of Shoulder Instabilities

BioComposite™, PEEK and Bio-PushLock™	14
SwiveLock® for Labral Repairs	16
FASTak™ and FASTak™ II Suture Anchor	17
Bio-FASTak® Suture Anchor.....	17
BioComposite™, PEEK and Bio-SutureTak®	18



The PushLock is designed for simple and secure arthroscopic glenohumeral joint instability repair. The knotless technique saves valuable time and eliminates the possibility of knot impingement. The “suture-first” technique allows the surgeon to independently pass the suture through a desired amount of tissue prior to anchor implantation. Multiple suture configurations, including simple, cinch and mattress stitches, can be accomplished with FiberWire, FiberLink, FiberStick and LabralTape suture options using the labral Scorpion or QuickPass SutureLasso. Tissue tension can be visualized and adjusted, if necessary, prior to final anchor implantation and fixation of the adjusted tension.

Product Description	Item No.
PEEK PushLock®, 2.4 mm x 11 mm	AR-2922PS
BioComposite™ PushLock®, 2.9 mm x 15.5 mm	AR-1923BC
BioComposite™ PushLock®, 2.9 mm x 12.5 mm (short)	AR-2923BC
PEEK PushLock®, 2.9 mm x 15.5 mm	AR-1923PS
PEEK PushLock®, 2.9 mm x 12.5 mm (short)	AR-2923PS
Bio-PushLock™, 2.9 mm x 15.5 mm	AR-1923B
BioComposite™ PushLock®, 3.5 mm x 19.5 mm	AR-1926BC
PEEK PushLock®, 3.5 mm x 19.5 mm	AR-1926PS
Bio-PushLock™, 3.5 mm x 19.5 mm	AR-1926B
Required Instruments	
Spear, trocar and blunt tip obturator for 2.8 mm FASTak™ II, 3 mm SutureTak® and 2.4 mm and 2.9 mm PushLock®	AR-1949
Drill for 2.4 mm PushLock®	AR-2922D-24-1
Drill for 2.9 mm PushLock® (hard bone)	AR-1923D
Drill for 2.9 mm PushLock® (very hard bone)	AR-1923DT
Drill for 2.9 mm PushLock® (sterile)	AR-1923D-ST
Drill for 2.9 mm PushLock® (hard bone, sterile)	AR-1923DT-ST
Drill for short 2.9 mm PushLock®	AR-2923DL
Drill for short 2.9 mm PushLock® (sterile)	AR-2923D-ST
Drill for short 2.9 mm PushLock® (hard bone, sterile)	AR-2923DT-ST
Drill for short 2.9 mm PushLock® (hard bone)	AR-2923D
Drill for short 2.9 mm PushLock® (very hard bone)	AR-2923DT
Spear, trocar tip obturator for 3.7 mm SutureTak® and 3.5 mm PushLock®	AR-1907
Drill for 3.5 mm PushLock®	AR-1912

Bio-PushLock™ – Optional Instruments

Product Description	Item No.
Offset guide for 2.8 mm FASTak™ II, 3 mm SutureTak® and 2.4 mm and 2.9 mm PushLock®	AR-1934R
Spear w/circumferential teeth, trocar tip obturator for 2.8 mm FASTak II™, 3 mm SutureTak® and 2.4 mm and 2.9 mm PushLock®	AR-1946
Disposable offset guide for 2.8 mm FASTak™, 3 mm SutureTak® and 2.4 mm and 2.9 mm PushLock®	AR-1934GS
Disposable spear, trocar obturator for 2.8 mm FASTak™, 3 mm SutureTak® and 2.4 mm and 2.9 mm PushLock®	AR-1949S
Metal cannula set for 2.9 mm PushLock®	AR-1923MCS
Disposable silicone dam for AR-1923MCS	AR-1923MC-03
Suture cutter, 3.4 mm, straight (w/metal cannula for 2.9 mm PushLock®)	AR-13255
Disposables kit for 2.9 mm PushLock® (w/metal spear and drill)	AR-1923DS
Offset guide for 3.7 mm SutureTak® and 3.5 mm PushLock®	AR-1909R
Spear w/circumferential teeth, trocar tip obturator for 3.7 mm SutureTak® and 3.5 mm PushLock®	AR-1906
Spade tip drill for 3.5 mm PushLock®	AR-1911
Metal cannula for 3.5 mm PushLock®	AR-1926MC
Disposables kit for 3.5 mm PushLock® (w/metal spear and drill)	AR-1926DS
Disposables kit for 3.5 mm PushLock® (w/offset guide and drill)	AR-1926DS-2

SwiveLock® for Labral Repairs



The screw-in, knotless SwiveLock has been miniaturized for use in the treatment of shoulder instability. It offers all of the same knotless advantages (low profile, quick, “suture-first” technique with multiple stitch configuration options) with the added benefits of higher pull-out strength and vents on the anchor side to enable ingrowth of bone.

Product Description	Item No.
BioComposite™ SwiveLock®, 3.5 mm x 15.8 mm	AR-2325BCC
PEEK SwiveLock®, 3.5 mm x 15.8 mm	AR-2325PSLC
Required Instrumentation	
Spear, trocar and blunt tip obturator for 3.7 mm SutureTak®, 3.5 mm PushLock® and 3.5 mm SwiveLock®	AR-1907
Drill for 3.5 mm SwiveLock®	AR-2325D
Optional Instrument	
Offset guide for 3.7 mm SutureTak®, 3.5 mm PushLock® and 3.5 mm SwiveLock®	AR-1909R
Spear w/circumferential teeth, trocar tip obturator for 3.5 mm PushLock® and 3.5 mm SwiveLock®	AR-1906

Recommended FiberWire® for use with PushLock® and SwiveLock®

Product Description	Item No.
LabralTape™ 1.5 mm, 36" / 91 cm braided polyethylene suture (white/black)	AR-7276T
#2 FiberWire®, 38" / 97 cm (blue)	AR-7233
#2 TigerWire®, 38" / 97 cm (white)	AR-7203
#2 FiberLink™ w/closed loop, 26" / 66 cm (blue)	AR-7235
#2 TigerLink™ w/closed loop, 26" / 66 cm (white/black)	AR-7235T
FiberStick™, #2 FiberWire®, 50" / 127 cm (blue), one end stiffened, 12" / 30 cm	AR-7209
TigerStick®, #2 TigerWire®, 50" / 127 cm (white/black), one end stiffened, 12" / 30 cm	AR-7209T
#1 FiberWire® (for 2.4 mm PushLock®)	AR-7216

FASTak™ and FASTak™ II Suture Anchor



The FASTak suture anchors are titanium anchors available in 2.4 mm or 2.8 mm diameter. They are preloaded with a #2 FiberWire suture. They are introduced using a driver. A drill is available for use in hard bone, if desired.


Product Description	Item No.
FASTak™ II w/handle, 2.8 mm x 11.7 mm, w/#2 FiberWire®	AR-1324HF
FASTak™ II, 2.8 mm x 11.7 mm, w/#2 FiberWire®	AR-1324SF
FASTak™, 2.4 mm x 11.7 mm, w/#2 FiberWire®	AR-1322SXF
Drill for 2.8 mm FASTak™ II	AR-1324D

Bio-FASTak® Suture Anchor



The Bio-FASTak is a 3 mm diameter bioabsorbable suture anchor designed for cortical bone. The Bio-FASTak tap, with the ratcheting screwdriver handle, is used to precut a thread. The Bio-FASTak is inserted through the spear. Bio-FASTaks come with or without needles and are available with #2 FiberWire suture.

Product Description	Item No.
Bio-FASTak®, 3 mm x 14 mm, w/#2 FiberWire®	AR-1324BF
Bio-FASTak®, 3 mm x 14 mm, w/two #2 FiberWire®	AR-1324BF-2
Required Instruments Set Includes	AR-1327S
Tap for Bio-FASTak®, (instrument set includes a nonfluted tap)	AR-1324TB
Bio-FASTak® ratcheting screwdriver handle	AR-1999
Bio-FASTak®/Bio-Corkscrew® instrumentation case	AR-1327
Optional Instrument	
Fluted tap for Bio-FASTak®	AR-1324TBF
Portal dilator for Bio-FASTak® spear	AR-1325PD
Needle for portal dilator	AR-6521
Offset guide for 3.7 mm SutureTak®, 3.5 mm PushLock® and 3 mm Bio-FASTak®	AR-1909R



The SutureTak suture anchors are available in a variety of sizes, materials and suture options. The Bio and BioComposite anchor options contain a molded-in suture as a suture eyelet. The pilot hole can be drilled through the spear and the anchor can be inserted.

2 mm

Product Description	Item No.
BioComposite™ SutureTak®, 2 mm x 12 mm, w/#1 FiberWire®	AR-1934BCF-20
PEEK SutureTak®, 2 mm x 12 mm, w/#1 FiberWire®	AR-1934PF-20
Required Instrumentation	
Drill for 2 mm SutureTak®	AR-1934D-20
Drill for 2 mm SutureTak® (for hard bone)	AR-1934D-20-1
Optional Instrumentation	
2 mm SutureTak® percutaneous insertion kit (contains: disposable 17-gauge spinal needle, 1.1 mm nitinol wire, portal dilator, spear and drill)	AR-1934PI-20
SutureTak® disposables kit (includes: disposable spear and drills)	AR-1934-20DS

2.4 mm

Product Description	Item No.
BioComposite™ SutureTak®, 2.4 mm x 12 mm, w/#2 FiberWire®	AR-1934BCF-24
BioComposite™ SutureTak®, 2.4 mm x 12 mm, w/two #2 FiberWire®	AR-1934BCF-24-2
PEEK SutureTak®, 2.4 mm x 12 mm, w/#2 FiberWire®	AR-1934PF-24
SutureTak®, 2.4 mm x 12 mm, w/#2 FiberWire®	AR-1934BF-24
Required Instruments Set Includes	
Spear, trocar and blunt tip obturator for 2.4 mm FASTak™ and 2.4 mm SutureTak®	AR-1934-24S
Drill for 2.4 mm SutureTak®	AR-1948
SutureTak® instrumentation case	AR-1934D-24
	AR-1934-24C
Optional Instrumentation	
Disposable spear, trocar tip obturator for 2.4 mm FASTak™ and 2.4 mm SutureTak®	AR-1945S
2.4 mm SutureTak® disposables kit (includes: AR-1945S and AR-1934D-24)	AR-1934-24DS
Cannulated guide for 2.4 mm FASTak™ and 2.4 mm SutureTak®	AR-1313
2.4 mm SutureTak® percutaneous insertion kit (contains: disposable 17-gauge spinal needle, 1.1 mm nitinol wire, portal dilator, spear and drill)	AR-1934PI
Spear w/circumferential teeth and trocar tip obturator for 2.4 mm FASTak™ and 2.4 mm SutureTak®	AR-1948CT
Drill for 2.4 mm SutureTak® (for hard bone)	AR-1934D-24-1
Drill for 2.4 mm SutureTak® (for very hard bone)	AR-1934D-24-2

3 mm

Product Description	Item No.
BioComposite™ SutureTak®, 3 mm x 14.5 mm, w/#2 FiberWire®	AR-1934BCF
BioComposite™ SutureTak®, 3 mm x 14.5 mm, w/#2 TigerTail®	AR-1934BCFT
BioComposite™ SutureTak®, 3 mm x 14.5 mm, w/two #2 FiberWire®	AR-1934BCF-2
BioComposite™ SutureTak®, 3 mm x 14.5 mm, w/two #2 TigerTail®	AR-1934BCFT-2
PEEK SutureTak®, 3 mm x 12 mm, w/#2 FiberWire®	AR-1934PS
PEEK SutureTak®, 3 mm x 12 mm, w/two #2 FiberWire®	AR-1934PS-2
Bio-SutureTak®, 3 mm x 14.5 mm, w/#2 FiberWire®	AR-1934BF
Bio-SutureTak®, 3 mm x 14.5 mm, w/two #2 FiberWire®	AR-1934BF-2
Bio-SutureTak®, 3 mm x 14.5 mm, w/#2 TigerTail®	AR-1934BFT
Bio-SutureTak®, 3 mm x 14.5 mm, w/two #2 TigerTail®	AR-1934BFT-2
Required Instrumentation	
Drill for 3 mm SutureTak®	AR-1250LT
Required Instruments Set Includes Spear, trocar and blunt tip obturator for 2.8 mm FASTak™ II, 3 mm SutureTak® and 2.4 mm and 2.9 mm PushLock® SutureTak® instrumentation case	AR-1934S AR-1949 AR-1934C
Optional Instrumentation	
SutureTak® punch	AR-1934P
Spear w/circumferential teeth, trocar tip obturator for 2.8 mm FASTak™ II, 3 mm SutureTak® and 2.4 mm and 2.9 mm PushLock®	AR-1946
Offset guide for 2.8 mm FASTak™ II, 3 mm SutureTak® and 2.4 mm and 2.9 mm PushLock®	AR-1934R
Disposable offset guide for 2.8 mm FASTak™ II, 3 mm SutureTak® and 2.4 mm and 2.9 mm PushLock®	AR-1934GS
Disposable spear and trocar obturator for 2.8 mm FASTak™, 3 mm SutureTak® and 2.4 mm and 2.9 mm PushLock®	AR-1949S
Spade tip drill, thick shaft for 3 mm SutureTak® Spade tip drill for 3 mm SutureTak®	AR-1252 AR-1257
SutureTak® disposable kit (contains: single use spear and AR-1250LT) Portal dilator for SutureTak® spear Needle for portal dilator	AR-1934DS-2 AR-1949PD AR-6521
Drill for 3 mm BioComposite™ SutureTak® Drill for 3 mm Bio-SutureTak®	AR-1250LTC AR-1250LT
3 mm SutureTak® percutaneous insertion kit (contains: disposable 17-gauge spinal needle, 1.1 mm nitinol wire, portal dilator, spear and drill)	AR-1934PI-30

3.7 mm

Product Description	Item No.
Bio-SutureTak®, 3.7 mm x 16 mm, w/#2 FiberWire®	AR-1934BLF
Required Instrumentation	
Drill for 3.7 mm SutureTak®	AR-1908
Required Instruments Set Includes Spear, trocar tip obturator for 3.7 mm SutureTak® and 3.5 mm PushLock® SutureTak® instrumentation case	AR-1934LS AR-1907 AR-1934C
Optional Instrumentation	
Spear w/circumferential teeth, trocar tip obturator for 3.7 mm SutureTak® and 3.5 mm PushLock® Offset guide for 3.7 mm SutureTak® and 3.5 mm PushLock®	AR-1906 AR-1909R
Bio-SutureTak® Open Procedures	
Product Description	Item No.
Bio-SutureTak® w/needles, 3 mm x 14.5 mm, w/#2 FiberWire®	AR-1934BNF
Required Instrumentation	
Short spear for Bio-SutureTak® w/needles Short spade tip drill for Bio-SutureTak® w/needles	AR-1326G AR-1256




Reconstruction of Bony Glenoid Rim Defects

Reconstruction of Bony Glenoid Rim Defects	22
Cannulated Titanium Screw	22
Mini Open Latarjet Instruments	23
Wedge Profile Plate	23
Arthroscopic Glenoid Reconstruction	24
Arthroscopic Glenoid Reconstruction with Free Bone Block	24
Modular Soft Tissue Retractor Chondro Pick	25
Modular Soft Tissue Retractor	25
Shoulder Chondro Pick	25

Reconstruction of Bony Glenoid Rim Defects

The glenoid bone loss set helps surgeons address the complex issue of shoulder instability caused by bony pathology such as anterior glenoid bone loss, bony Bankart, glenoid fracture or engaging Hill-Sachs lesions.

Cannulated Titanium Screw



- Partially and fully threaded options
- Self-drilling & self-tapping
- Cannulated shaft accepts 1.6 mm guide pins
- Low profile head
- Cancellous thread profile

Product Description	Item No.
Low Profile Screw™, titanium, 4 mm x 32 mm, cannulated, long thread	AR-8740-32PTL
Low Profile Screw™, titanium, 4 mm x 34 mm, cannulated, long thread	AR-8740-34PTL
Low Profile Screw™, titanium, 4 mm x 36 mm, cannulated, long thread	AR-8740-36PTL
Low Profile Screw™, titanium, 4 mm x 38 mm, cannulated, long thread	AR-8740-38PTL
Low Profile Screw™, titanium, 4.5 mm x 30 mm, cannulated, partially threaded	AR-8945-30PT
Low Profile Screw™, titanium, 4.5 mm x 32 mm, cannulated, partially threaded	AR-8945-32PT
Low Profile Screw™, titanium, 4.5 mm x 34 mm, cannulated, partially threaded	AR-8945-34PT
Low Profile Screw™, titanium, 4.5 mm x 36 mm, cannulated, partially threaded	AR-8945-36PT
Low Profile Screw™, titanium, 4.5 mm x 38 mm, cannulated, partially threaded	AR-8945-38PT
Low Profile Screw™, titanium, 4.5 mm x 40 mm, cannulated, partially threaded	AR-8945-40PT
Cannulated screw, partially threaded, 3.75 mm x 30 mm	AR-7000-30
Cannulated screw, partially threaded, 3.75 mm x 32 mm	AR-7000-32
Cannulated screw, partially threaded, 3.75 mm x 34 mm	AR-7000-34
Cannulated screw, partially threaded, 3.75 mm x 36 mm	AR-7000-36
Cannulated screw, partially threaded, 3.75 mm x 38 mm	AR-7000-38
Cannulated screw, partially threaded, 3.75 mm x 40 mm	AR-7000-40
Cannulated screw, partially threaded, 3.75 mm x 42 mm	AR-7000-42
Optional	
Mini open shoulder retractor, 21 mm	AR-8100-21
Modular soft tissue retractor atraumatic replacement paddle, 50 mm, right	AR-8170-50DR
Modular soft tissue retractor atraumatic replacement paddle, 50 mm, left	AR-8170-50DL
Osteotome blade	AR-7000-01
Osteotome blade shield	AR-7000-02
Osteotome handle	AR-2961

Mini Open Latarjet Instruments

This unique instrumentation helps make the Latarjet technique more consistent and repeatable.

- Retractors to ease exposure
- Grasper and coracoid drill guide in one instrument
- Glenoid offset guide and temporary compression instrument for positioning the coracoid on the glenoid


Product Description	Item No.
Mini open shoulder Latarjet system instrument case	AR-8100C
Screw caddy for mini open shoulder Latarjet system instrument case	AR-8100C-SC
Swan retractor, right	AR-8102R
Swan retractor, left	AR-8102L
Gelpi retractor	AR-8104
Nerve & fascia retractor	AR-8101
Bended blade retractor, 18 mm	AR-8100-18
Bended blade retractor, 26 mm	AR-8100-26
Parallel drill guide, 6 mm offset	AR-7000-04
Parallel drill guide, 8 mm offset	AR-7000-05
Handle, drill guide	AR-9215-1-01
Screw length gauge, glenoid bone loss	AR-7000-06
Coracoid drill guide	AR-7000-07
Fukuda style retractor	AR-7000-08
Cannulated hex driver, 2.5 mm x 7" / 18 cm long	AR-7000-13
Drill, 2.75 mm, 0.066" / 1.7 mm cannulation	AR-7000-14
K-wires, 7" / 18 cm	AR-8941-7
K-wires, 12" / 30 cm	AR-8941-12
Drill 4 mm	AR-1204D
Cannulated hex driver, 3.5 mm, with AO connection	AR-8100D
Cannulated handle with AO connection	AR-13421AO
Bended osteotome (100 mm)	AR-1767
Gelpi retractor for arthroscopic use	AR-8104A
Saw blade, 90° tip, 19 mm x 10 mm x 0.6 mm	AR-300-450S
Temporary compression device, cannulated	AR-14023TCDC
Hexalobe driver shaft	AR-8943-12

Wedged Profile Plate



- Wedged profile plate avoids bone block breakage
- The wedged two hole plate distributes the load to the entire surface of the block and compresses the medial part to the glenoid neck

Product Description	Item No.
Wedged profile plate	AR-8111



Arthroscopic Glenoid Reconstruction

Arthroscopic Glenoid Reconstruction with Free Bone Block




Product Description	Item No.
Bio-Compression screw, 3 mm x 26 mm	AR-5025B-26
K-wire, 1.1 mm	KW02-300-11
Required Instrumentation	
Parallel drill guide	AR-5024
Long drill for 26 mm Bio-Compression screw	AR-5025ETDC-26
Long tap for 26 mm Bio-Compression screw	AR-5025ETBC-26
Long driver for 26 mm Bio-Compression screw	AR-5025EDB

2.9 mm PushLock® implants

Product Description	Item No.
Bio-PushLock™, 2.9 mm x 10.7 mm	AR-1923B
BioComposite™ PushLock®, 2.9 mm x 10.7 mm	AR-1923BC
PEEK PushLock®, 2.9 mm x 10.7 mm	AR-1923PS

Modular Soft Tissue Retractor | Chondro Pick

Modular Soft Tissue Retractor



The modular soft tissue retractor is a versatile retractor for muscle-splitting approaches at the shoulder, including mini open rotator cuff repair. It is self-locking and self-retaining. Its self-locking design allows the shoulder to be moved throughout a range of motion without the retractor becoming dislodged.

Product Description	Item No.
Modular soft tissue retractor body	AR-8170
Modular soft tissue retractor set	AR-8170S
Modular soft tissue retractor atraumatic set	AR-8170DS
Modular soft tissue retractor atraumatic paddle set, 75 mm (replacement paddles are available for all sets)	AR-8170-75DS

Shoulder Chondro Pick



The unique offset design of the shoulder chondro pick allows the surgeon to apply a penetrating force coaxial to the angled instrument tip preventing skiving on cartilage.


Product Description	Item No.
Shoulder chondro pick, angled, 40° tip	AR-8665



Spears for Glenohumeral Stabilization

Spears	28
Offset Spears	28
Spears with an Angled Tip	29


Spears



Spears with removable trocar and V-shaped tip allow precise control and accurate anatomical placement of the suture anchors on the glenoid rim, in one simple step.

Product Description	Item No.
Spear, trocar and blunt tip obturator for 2.8 mm FASTak™ II, 3 mm SutureTak® and 2.4 mm and 2.9 mm PushLock®	AR-1949
Disposable trocar and blunt tip obturator for 2.8 mm FASTak™ II, 3 mm SutureTak® and 2.4 mm and 2.9 mm PushLock® (single use)	AR-1949S
Spear w/circumferential teeth, trocar tip obturator for 2.8 mm FASTak™ II, 3.0 mm SutureTak® and 2.4 mm and 2.9 mm PushLock®	AR-1946
Disposable spear, trocar tip obturator for 2.4 mm FASTak™ and 2.4 mm SutureTak® (single use)	AR-1945S
Spear, trocar and blunt tip obturator for 2.4 mm FASTak™ and 2.4 mm SutureTak®	AR-1948
Spear w/circumferential teeth, trocar tip obturator for 2.4 mm FASTak™ and 2.4 mm SutureTak®	AR-1948CT
Spear, trocar tip obturator for 3.7 mm SutureTak® and 3.5 mm PushLock®	AR-1907
Spear w/circumferential teeth, trocar tip obturator for 3.7 mm SutureTak® and 3.5 mm PushLock®	AR-1906
Spear, trocar and blunt tip obturator for 2 mm FASTak™ and 2 mm SutureTak®	AR-1986


Offset Spears



All offset guides allow the surgeon to create reproducible drill holes in the glenoid with a precise offset of 1.5 mm from the edge. As a result, anatomic refixation of the labral tissue is possible in the case of Bankart and SLAP reconstructions.

Product Description	Item No.
Offset guide for 3.7 mm SutureTak®, 3.5 mm PushLock® and 3 mm Bio-FASTak®	AR-1909R
Offset guide for 2.8 mm FASTak™ II, 3 mm SutureTak® and 2.4 mm and 2.9 mm PushLock®	AR-1934R
Disposable offset guide for 2.8 mm FASTak™ II, 3 mm SutureTak® and 2.4 mm and 2.9 mm PushLock®	AR-1934GS
Offset guide for 2.4 mm SutureTak®	AR-1948R

Spears with an Angled Tip



The angled spear with a dovetail tip is designed for insertion of an anchor during open or arthroscopic Bankart repairs.

Product Description	Item No.
Cannulated guide for 2.4 mm FASTak™ and 2.4 mm SutureTak®	AR-1313
Cannulated guide for 2.8 mm FASTak™ II, 3 mm SutureTak® and 2.4 mm and 2.9 mm PushLock®	AR-1317




Instruments for Suture Management and Footprint Refreshment

Suture Management	32		
SCORPION-multifire	32		
FastPass Scorpion™ SL.....	32		
Scorpion™	33		
Labral Scorpion	33		
BirdBeak®	34		
Rhino Suture Passer	34		
Penetrator™ Suture Retriever	35		
QuickPass™ SutureLasso™	36		
SutureLasso™ SD.....	36		
ReelPass SutureLasso™	37		
Banana SutureLasso™	37		
Transosseous Suture Passer	38		
Micro SutureLasso™	38		
KingFisher®	39		
Rotator Cuff Grasper	39		
Suture Retriever	40		
FiberTape® Suture Retriever.....	40		
FiberWire® Suture Grasper.....	41		
Crochet Hook.....	41		
		Knot Tying and Cutting	42
		Suture Cutter	42
		Knot Pushers.....	42
		Knot Tying.....	43
		CrabClaw™	43
		6 th Finger™ Knot Pusher	43
		Probes, Curettes and Tissue Elevators	44
		Examining Hooks.....	44
		Ring and D-Curettes	44
		Tissue Elevator and Bone Preparation System	45
		Attachment Options.....	45

Suture Management


SCORPION-multifire



The SCORPION-multifire suture passer allows the surgeon to preload two suture tails in the grasper and arthroscopically pass them independently of each other through tissue. The disposable MultiFire needle withstands multiple suture passes during a single case. Once passed, the FastPass SCORPION-multifire grasps the suture tail and thus enables shuttling and retrieval in a single, fast step.

Product Description	Item No.
FastPass SCORPION-multifire	AR-13997MF
SCORPION-multifire suture passer, humpback	AR-13995
SCORPION-multifire suture passer, straight	AR-13996
SCORPION-multifire needle	AR-13995N


FastPass Scorpion™ SL



The FastPass Scorpion SL simplifies antegrade suture passing: the lower jaw has a blunt tip and the suture is loaded from the side. Suture and soft tissue cannot be inadvertently "picked up". The FastPass mechanism will pass and retrieve FiberWire all in one step.

Product Description	Item No.
FastPass Scorpion™ SL	AR-13999MF
SCORPION-multifire needle	AR-13995N


Scorpion™



The Scorpion suture passer enables suture passing in rotator cuff repair. A “humpback” version with locking jaws is available for use in thicker rotator cuff tissue. The FastPass Scorpion will pass and retrieve FiberWire all in one step.

Product Description	Item No.
FastPass Scorpion™	AR-13997SF
Scorpion™ suture passer	AR-13990
Scorpion™ suture passer, humpback	AR-13993
Scorpion™ needle	AR-13990N
SureFire® Scorpion™ needle	AR-13991N

Labral Scorpion



The FastPass labral Scorpion has low-profile jaws and can be maneuvered around the glenohumeral space more easily. It is only compatible with the SureFire Scorpion needles.

Product Description	Item No.
Labral Scorpion	AR-13398
SureFire® Scorpion™ needle	AR-13991N

BirdBeak®



The BirdBeak has an extremely sharp tip for easy perforation of soft tissue. The BirdBeak Evolution has a WishBone handle and a smaller tip. The BirdBeak grasper with a serrated opening allows the suture to be grasped.

Product Description	Item No.
BirdBeak®, 45° up tip	AR-11800
BirdBeak®, 22° up tip	AR-11890
BirdBeak®, straight	AR-11880
Straight BirdBeak®, right, 45° handle	AR-11886
Straight BirdBeak®, left, 45° handle	AR-11887
BirdBeak Evolution®, 45° up tip	AR-11800E
BirdBeak Evolution®, 22° up tip	AR-11890E
BirdBeak Evolution®, straight	AR-11880E
BirdBeak Evolution®, 15° up curve	AR-11881E
Banana BirdBeak Evolution®, 22° up tip	AR-11892E
Inverted BirdBeaks®	
BirdBeak®, 45° up tip, inverted jaw w/WishBone™ handle	AR-11805W
BirdBeak®, 22° up tip, inverted jaw w/WishBone™ handle	AR-11895W
BirdBeak® grasper, 22° up tip	AR-11810SR


Rhino Suture Passer



The Rhino Suture Passer has an extremely sharp tip with a small diameter to easily penetrate soft tissue. The configurations include straight, left and right curve with an up tip.

Product Description	Item No.
Rhino suture passer, straight	AR-11850SR
Rhino suture passer, right curve	AR-11851SR
Rhino suture passer, left curve	AR-11852SR
Rhino suture passer w/WishBone™ handle, straight	AR-11850W
Rhino suture passer, w/WishBone™ handle, right curve	AR-11851W
Rhino suture passer, w/WishBone™ handle, left curve	AR-11852W


Penetrator™ Suture Retriever



The Penetrator has a round tip, 2.75 mm in diameter. Because of the locking mechanism, the suture can be grasped or allowed to move freely.

Product Description	Item No.
Penetrator™ suture retriever, 15° up curved	AR-2167-2
Penetrator™ suture retriever, straight	AR-2167ST-2
Penetrator™ FiberTape® retriever, 15° up curved	AR-2167-3
Penetrator™ FiberTape® retriever, straight	AR-2167ST-3


QuickPass™ SutureLasso™



The QuickPass family of lassos uses thumbwheels and an ergonomic handle to quickly and easily advance the supplied nitinol wire loop, a #2 FiberStick or a monofilament suture. Tip dimensions and color-coding match the SutureLasso SD family. The tip diameter is a small 1.8mm and is combined with a stiffer 3.8mm shaft to provide the perfect combination of atraumatic suture passage with a robust and ergonomic handle.

Product Description	Item No.
QuickPass™, 30° straight	AR-6068-30
QuickPass™, 90° straight	AR-6068-90
QuickPass™, 25° tight curve left	AR-6068-25TL
QuickPass™, 25° tight curve right	AR-6068-25TR
QuickPass™, 45° curve left	AR-6068-45L
QuickPass™, 45° curve right	AR-6068-45R
QuickPass™, 90° curve left	AR-6068-90L
QuickPass™, 90° curve right	AR-6068-90R
QuickPass™, 90° tight curve	AR-6068-90T
QuickPass™, crescent	AR-6068C
QuickPass™ wire loop	AR-6068-01


SutureLasso™ SD



The small-diameter SutureLassos have an outer diameter of 1.8mm and feature a thumb pad for one-handed suture advancement. These are available in various tip configurations.

Product Description	Item No.
SutureLasso™ SD, 30° straight	AR-4068-30
SutureLasso™ SD, 90° up	AR-4068-90
SutureLasso™ SD, 25° tight curve left	AR-4068-25TL
SutureLasso™ SD, 25° tight curve right	AR-4068-25TR
SutureLasso™ SD, 45° curve left	AR-4068-45L
SutureLasso™ SD, 45° curve right	AR-4068-45R
SutureLasso™ SD, 90° curve left	AR-4068-90L
SutureLasso™ SD, 90° curve right	AR-4068-90R
SutureLasso™ SD, crescent	AR-4068C
SutureLasso™ SD w/FiberStick™, 25° tight curve left	AR-4068-25TLF
SutureLasso™ SD w/FiberStick™, 25° tight curve right	AR-4068-25TRF
SutureLasso™ SD wire loop	AR-4068-05SD


ReelPass SutureLasso™



The ReelPass SutureLasso contains 7.6 meters of blue #1 non-absorbable monofilament nylon suture. This provides the surgeon with a continuous suture without the need to reload. The ergonomic handle and thumbwheels were designed to easily advance the monofilament. The sharp tip of this single-use device is only 1.5mm in diameter, making it one of the smallest on the market.

Product Description	Item No.
ReelPass SutureLasso™, 90° straight	AR-6069-90
ReelPass SutureLasso™, 45° curve left	AR-6069-45L
ReelPass SutureLasso™, 45° curve right	AR-6069-45R


Banana SutureLasso™ and SutureLasso™



The SutureLassos are available in various curved tip configurations with a 2.3 mm diameter. They are preloaded with either a nitinol loop or a monofilament suture. The Banana SutureLasso is designed for passing sutures through the rotator cuff via a superior, percutaneous approach (modified Neviaser portal) or along the acromial border.

Product Description	Item No.
Banana SutureLasso™	AR-4065B
SutureLasso™, 45° w/wire loop	AR-4065W
SutureLasso™, 90° w/wire loop	AR-4065-90W
Corkscrew® SutureLasso™, 45° curve right	AR-4065-45R
Corkscrew® SutureLasso™, 45° curve left	AR-4065-45L
SutureLasso™, 45° w/#2 PDS	AR-4065S
SutureLasso™, 90° w/#2 PDS	AR-4065-90S


Micro SutureLasso™



These 25 mm diameter instruments work well for percutaneous suture passing for rotator cuff repairs and glenoid labrum repairs.

Product Description	Item No.
Micro SutureLasso™, minor bend	AR-8701
Micro SutureLasso™, major bend	AR-8702
Micro SutureLasso™, straight	AR-8703
Micro SutureLasso™ retriever	AR-8701SR
Optional Accessories	
FiberStick™, #2 FiberWire®, 50" / 127 cm (blue) one end stiffened, 12" / 30 cm, qty. 5	AR-7209
TigerStick®, #2 TigerWire®, 50" / 127 cm (white/black) one end stiffened, 12" / 30 cm, qty. 5	AR-7209T


Transosseous Suture Passer



The transosseous suture passer features a malleable shaft, a durable nitinol capture loop and a comfortable handle to pass grafts or sutures through a bone tunnel.

Product Description	Item No.
Transosseous suture passer	AR-1000


KingFisher®



The KingFisher is the optimal tool for arthroscopic tissue grasping/reduction, foreign body removal, as well as suture retrieval/management. The KingFisher has a self-releasing jaw-lock mechanism. To lock the jaws, and securely hold tissue, simply place pressure on the posterior aspect of the forward finger.

Product Description	Item No.
KingFisher® suture retriever / tissue grasper w/SR handle	AR-13970SR
KingFisher® suture retriever / tissue grasper w/WishBone™ handle	AR-13970W


Rotator Cuff Grasper



The rotator cuff retriever was specifically designed to grasp and test the mobility of the tendon for rotator cuff procedures.

Product Description	Item No.
Rotator cuff grasper w/SR handle	AR-13960SR
Rotator cuff grasper w/NR handle	AR-13960NR
Rotator cuff grasper w/WishBone™ handle	AR-13960W


Suture Retriever



The suture retriever is designed for atraumatic suture retrieval and manipulation during arthroscopic procedures.

Product Description	Item No.
Suture retriever, 3.4 mm, straight	AR-12540
Suture retriever, 3.4 mm, 15° up	AR-12550
Suture retriever, 3.4 mm, 45° right	AR-12580
Suture retriever, 3.4 mm, 45° left	AR-12590
Suture retriever w/WishBone™ handle, 3.4 mm, straight	AR-12540W
Suture retriever w/WishBone™ handle, 3.4 mm, 15° up	AR-12550W
Suture retriever w/WishBone™ handle, 3.4 mm, 45° right	AR-12580W
Suture retriever w/WishBone™ handle, 3.4 mm, 45° left	AR-12590W


FiberTape® Suture Retriever



The FiberTape suture retriever facilitates FiberTape suture management. Its serrated tip optionally allows secure grasping of the FiberTapes or sutures.

Product Description	Item No.
FiberTape® suture retriever with SR handle	AR-13974SR
FiberTape® retriever w/NR handle	AR-13974NR
FiberTape® retriever w/WishBone™ handle	AR-13974W
Mini FiberTape® retriever w/NR handle	AR-12974NR
Mini FiberTape® retriever with SR handle	AR-12974SR
Mini FiberTape® retriever with WishBone™ handle	AR-12974W


FiberWire® Suture Grasper



The FiberWire grasper is designed to grasp and retrieve multiple strands of FiberWire.

Product Description	Item No.
FiberWire® grasper w/NR handle	AR-13975NR
FiberWire® grasper w/SR handle	AR-13975SR
FiberWire® grasper w/WishBone™ handle	AR-13975W

Crochet Hook




The crochet hook is a simple tool for retrieving suture loops during arthroscopic Bankart, SLAP, rotator cuff, or any suturing procedure. The push/pull crochet hook was designed to push suture knots and/or retrieve suture with the same instrument.

Product Description	Item No.
Crochet hook	AR-5008H
Push/pull crochet hook	AR-5009H
Suture hook	AR-5007H

Knot Tying and Cutting


Suture Cutter



The suture cutter is available with a closed and open end, left notch version. The closed-end suture cutter allows the surgeon to cut the suture leaving a 3 mm tail. The open end, left notch version facilitates suture cutting inside the joint without having to top load the cutter. The FiberTape cutter was designed to allow for flush cutting of two FiberTapes. The mini cutter can be used for FiberWire and LabralTape.

Product Description	Item No.
Suture cutter, 4.2 mm, straight, (used w/#2 & #5 suture)	AR-12250
Suture cutter, 4.2 mm, closed end, w/WishBone™ handle, straight	AR-12250W
Suture cutter, 4.2 mm, open end, left notch (used w/all sutures)	AR-11794L
Suture cutter, w/WishBone™ handle, 4.2 mm, open end, left notch (used w/all sutures)	AR-11794LW
Suture cutter, 3.4 mm, straight (used for FiberWire® and LabralTape™)	AR-13255
Suture cutter, 3.4 mm, straight w/WishBone™ handle, (used for FiberWire® and LabralTape™)	AR-13255W
FiberWire® scissor (for open procedures)	AR-11796
FiberTape® cutter	AR-13250
FiberTape® cutter w/WishBone™ handle	AR-13250W
Suture cutter, mini	AR-13255
Suture cutter, mini w/WishBone™ handle	AR-13255W

Knot Pushers




The single-hole knot pusher provides a simple method to advance sliding knots and half-hitches.

Product Description	Item No.
Single-hole knot pusher	AR-1299
Knot pusher, closed end	AR-1305

Knot Tying


CrabClaw™



The opening rotary jaw of the CrabClaw makes this instrument an effective suture retriever and knot pusher. It allows for intraarticular capture of suture which dramatically simplifies arthroscopic knot tying.

Product Description	Item No.
CrabClaw™ knot pusher / suture retriever	AR-12960

6th Finger™ Knot Pusher




The unique double tube design allows the surgeon to apply and maintain tension to the first throw, while advancing subsequent throws with the sliding plastic outer tube.

Product Description	Item No.
6 th Finger™ knot pusher	AR-1930S

Probes, Curettes and Tissue Elevators


Examining Hooks



The articulation probe enables the surgeon to easily insert an instrument through a small stab incision in soft tissue with the tip in a straight position. The tip of the probe can then be changed to a locked 90° position.

Product Description	Item No.
Articulating probe	AR-10100
Probe, 5.4 mm	AR-10000
Probe, 3.4 mm	AR-10010

Ring and D-Curettes



D-curettes feature a D-shaped, dual-sided cutting ring designed to prepare the articular margin prior to anchor insertion during rotator cuff repair. D-curettes are also an excellent choice for cartilage removal, particularly prior to glenoid placement in total shoulder arthroplasty procedures.

Product Description	Item No.
D-curette, both sides cut, 5.4 mm x 150 mm	AR-22020
D-curette, both sides cut, 3.4 mm x 150 mm	AR-23020
Ring curette, 5.4 mm, one side cuts	AR-20010
Ring curette, 5.4 mm, both sides cut	AR-20020

Tissue Elevator and Bone Preparation System




The tissue elevator and bone preparation system combines new tip designs and a modular handle, thus providing the ultimate selection of tools for work in the glenohumeral joint and subacromial space. A variety of rasps, curettes, tissue elevators and a chondro pick are contained in one system.

Tissue Elevator Instrument Set

Product Description	Item No.
Quick connect handle, non-ratcheting	AR-2003NR
Tissue elevator instrument case	AR-1344C

Attachment Options




Product Description	Item No.
Tissue elevator, 15° down	AR-1344-15
Tissue elevator, 15° down, 30° left	AR-1344-1530L
Tissue elevator, 15° down, 30° right	AR-1344-1530R
Tissue elevator, 30° down	AR-1344-30
Debridement rasp	AR-1344-DR
D-curette, 5.4 mm	AR-1344-LC
Ball tip rasp, 40°	AR-1344-MR
Chondro pick, curved	AR-1344-P
Elevator, standard design, 15°	AR-1344SE-15
Elevator, standard design, 30°	AR-1344SE-30
Curette, ring	AR-1344-RC



Arthroscopic Cannulas

PassPort Button™ Cannula.....	48
Gemini™ SR8 Cannula.....	48
Expanula™ Cannula.....	49
Twist-In™ Cannulas.....	49
TripleDam Twist-In™ Cannulas	50
Crystal Cannula®	50
Low Profile 5mm Cannula.....	51
Shoehorn Cannula	51
Cannula Accessories	51


PassPort Button™ Cannula



The PassPort Button cannulas help maximize visibility and maneuverability inside and outside of the arthroscopic work space. The double-dam one-piece molded design has low profile flanges that seat flush to the skin and soft tissue. These flanges create a stable portal that allows instruments to be inserted and removed without the concern of cannula loss. They are easily introduced by grasping the inside or outside flange with a curved hemostat and inserting into the incision. The cannula is suitable for indications in the shoulder, knee, hip and elbow. Each PassPort Button cannula is supplied with a 5mm spacer to ensure the accurate length.

Product Description	Item No.
PassPort Button™ cannula, 6 mm I.D. x 2 cm	AR-6592-06-20
PassPort Button™ cannula, 6 mm I.D. x 3 cm	AR-6592-06-30
PassPort Button™ cannula, 6 mm I.D. x 4 cm	AR-6592-06-40
PassPort Button™ cannula, 8 mm I.D. x 2 cm	AR-6592-08-20
PassPort Button™ cannula, 8 mm I.D. x 3 cm	AR-6592-08-30
PassPort Button™ cannula, 8 mm I.D. x 4 cm	AR-6592-08-40
PassPort Button™ cannula, 8 mm I.D. x 5 cm	AR-6592-08-50
PassPort Button™ cannula, 8 mm I.D. x 6 cm	AR-6592-08-60
PassPort Button™ cannula, 10 mm I.D. x 2 cm	AR-6592-10-20
PassPort Button™ cannula, 10 mm I.D. x 3 cm	AR-6592-10-30
PassPort Button™ cannula, 10 mm I.D. x 4 cm	AR-6592-10-40
PassPort Button™ cannula, 12 mm I.D. x 3 cm	AR-6592-12-30
PassPort hemostat	AR-6592
Open cannula, blunt tip	AR-6507
PassPort selection guide	AR-6592M
PassPort inflow/outflow adapter	AR-6592F


Gemini™ SR8 Cannula



The Gemini incorporates a deployable and locking wing feature to prevent cannula “fall-out” during insertion and removal of instruments for Bankart, SLAP and rotator cuff repairs. The low profile design of the wings will securely hold the cannula in place, even in the tightest working spaces. Additionally, the inner sleeve of the cannula can telescope relative to the outer portion of the cannula allowing the surgeon a clear, unobstructed channel to treat pathology. The included, disposable cannulated obturator allows for easy insertion over a 2.6 mm switching stick.

Product Description	Item No.
Gemini™ cannula, 8.25 mm x 9 cm	AR-6572
Switching stick, 2.6 mm x 305 mm	AR-6572S


Expanula™ Cannula



Upon insertion of the Expanula, its outer sheath is rotated to expand the distal end of the cannula. This creates an extremely stable portal that allows instruments to be inserted and removed without the concern of cannula loss. Each cannula is supplied with a “no-squirt” cap and disposable obturator.

Product Description	Item No.
Expanula™ cannula, 8.25 mm I.D. x 7.5 cm	AR-6569
Reusable obturator for Expanula™	AR-6571

Twist-In™ Cannulas



The translucent Twist-In cannula allows direct arthroscopic visualization of instruments and suture passing through the cannula. A flexible option easily conforms to large or curved instruments. Each cannula is supplied with a “no-squirt” cap and disposable obturator. Optionally available trocars enable convenient insertion of the cannula via a switching stick.

Product Description	Item No.
Notched Twist-In™ cannula, 8.25 mm I.D. x 7 cm	AR-6530N
Twist-In™ cannula, 8.25 mm I.D. x 7 cm	AR-6530
Twist-In™ cannula, 8.25 mm I.D. x 9 cm	AR-6540
Twist-In™ cannula, 7 mm I.D. x 7 cm	AR-6570
Twist-In™ cannula, 7 mm I.D. x 7 cm, flexible	AR-6570F
Twist-In™ cannula, 6 mm I.D. x 7 cm	AR-6535
Twist-In™ cannula, 6 mm I.D. x 9 cm	AR-6545
Partially threaded cannula, 8.25 mm I.D. x 7 cm	AR-6566
Partially threaded cannula, 8.25 mm I.D. x 9 cm	AR-6575-09
Partially threaded cannula, 8.25 mm I.D. x 11 cm	AR-6575-11
Partially threaded cannula, 7 mm I.D. x 7 cm	AR-6567
Instrument cannula, 5.5 mm I.D. x 9 cm	AR-6532
Instrument cannula, 7 mm I.D. x 7 cm	AR-6550


TripleDam Twist-In™ Cannulas



The TripleDam Twist-In cannulas have an additional dam with small holes through which water can drain off in a controlled manner so that squirting is prevented.

Product Description	Item No.
TripleDam Twist-In™ cannula with valve 8.25 mm I.D. x 7 cm	AR-6530TD
TripleDam Twist-In™ cannula with valve 8.25 mm I.D. x 7 cm	AR-6530A

Crystal Cannula®



The Crystal Cannula offers a unique barrel-shaped retention bowl that pools fluid to eliminate cannula “squirt”. Three atraumatic distal retaining options help to prevent cannula “fall-out”. A flexible option easily conforms to large or curved instruments. Each cannula is supplied with a disposable obturator.

Product Description	Item No.
Crystal Cannula®, 5.75 mm I.D. x 7 cm, distal ring	AR-6560
Crystal Cannula®, 5.75 mm I.D. x 7 cm, smooth	AR-6562
Crystal Cannula®, 5.75 mm I.D. x 7 cm, partially threaded	AR-6564
Crystal Cannula®, 5.75 mm I.D. x 7 cm, flexible, distal ring	AR-6560F


Low Profile 5 mm Cannula



This 5 mm cannula is the lowest profile cannula on the market that allows for direct visualization of instruments and suture passing. The proximal portion of the cannula is similar to the Crystal Cannula. Each cannula is supplied with a disposable obturator.

Product Description	Item No.
Low profile cannula, 5 mm I.D. x 7 cm	AR-6548

Shoehorn Cannula



The Shoehorn cannula has a longitudinal slot on top of the cannula to allow oversized instruments to be introduced. Each cannula is supplied with a disposable obturator.

Product Description	Item No.
Shoehorn cannula, 6 mm I.D. x 9 cm	AR-6565

Cannula Accessories



Product Description	Item No.
Reusable obturator (for AR-6530, AR-6530N, AR-6566, AR-6570F)	AR-6531
Reusable obturator (for AR-6535)	AR-6536
Reusable obturator (for AR-6540, AR-6575-09)	AR-6541
Reusable obturator (for AR-6545)	AR-6546
Reusable obturator (for AR-6550, AR-6567, AR-6570)	AR-6549
Reusable obturator (for AR-6560, AR-6562, AR-6564, AR-6560F)	AR-6563
Reusable obturator (for AR-6569)	AR-6571
Wissinger Rod, 4 mm	AR-3025
Extra long switching stick, 4 mm	AR-3026
Portal dilation set	AR-6520S
Replacement pin (for AR-6520S)	AR-6521
One-way stopcock, w/Luer lock	AR-6561



Shoulder Repair Set

Shoulder Repair Set	54
---------------------------	----

Shoulder Repair Set



The master shoulder repair set is a comprehensive selection of specialty instruments to facilitate arthroscopic shoulder repairs. The set contains the most popular instruments as determined by leading upper extremity surgeons. Additional instruments can be added.

Shoulder Repair Set (AR-8402MS)

Product Description	Item No.
Suture cutter, open ended, left notch	AR-11794L
Suture cutter, 4.2 mm, straight	AR-12250
FiberTape® cutter	AR-13250
FiberTape® suture retriever with SR handle	AR-13974SR
NeedlePunch® II, 16 mm	AR-13982S
FastPass Scorpion™	AR-13997SF
Punch for 4.5 mm PushLock®	AR-1922P
Punch for 3.5 mm PushLock®	AR-1926P
Corkscrew® FT punch	AR-1927PB
PassPort curved hemostat	AR-6592
PassPort selection guide	AR-6592M

Shoulder Repair Set (AR-8402S)


Product Description	Item No.
Hook probe, 5.4 mm	AR-10000
BirdBeak®, 45° up tip	AR-11800
BirdBeak®, 22° up tip	AR-11890
Suture retriever	AR-12540
Shoulder debridement rasp	AR-1282L
Knot pusher, closed end	AR-1305
SLAP rasp	AR-1309
Glenoid rasp	AR-1312
Bankart rasp	AR-1312-90
Shoulder tissue elevator, 15°	AR-1342-15
Shoulder tissue elevator, 30°	AR-1342-30
Rotator cuff grasper	AR-13960SR
KingFisher® suture retriever / tissue grasper	AR-13970SR
FiberWire® grasper w/SR handle	AR-13975SR
Ring curette, 5.4 mm, both sides cut	AR-20020
Penetrator™ suture retriever, 15° up	AR-2167-2
Extra long switching stick	AR-3026
Suture hook	AR-5007H
Reusable obturator for AR-6530 Twist-In™ cannula	AR-6531
Reusable obturator for AR-6535 Twist-In™ cannula	AR-6536
Reusable obturator for AR-6540 and AR-6575-09 Twist-In™ cannula	AR-6541
Reusable obturator for AR-6550, AR-6567 and AR-6570 Twist-In™ cannula	AR-6549
Reusable obturator for AR-6560 and AR-6562 instrument cannula	AR-6563
Shoulder repair set instrumentation case	AR-8402C



AC Reconstruction Systems

Dog Bone™ Button	58
AC TightRope®	58
Twin Tail TightRope®	59
Chronic AC Joint Reconstruction	60
AC Joint Master Set.....	61


Dog Bone™ Button



The Dog Bone Button is an anatomically precontoured titanium button that allows the use of multiple FiberTapes for AC joint reduction. The buttons can accept two FiberTapes, and this makes the construct twice as strong as conventional AC joint repair devices. The tunnel for passing the suture construct is created with a 2.4 or 3 mm cannulated drill with a removable mandrel.

Product Description	Item No.
Dog Bone™ Button	AR-2270
FiberTape® loop, 2 mm, 8" / 20 cm (blue), tapered to #2 FiberWire®	AR-7275
TigerTape™ loop, 2 mm, 8" / 20 cm (white/black), tapered to #2 TigerWire®	AR-7275T
Required Instrumentation	
AC joint reconstruction master set + additional recommended instruments (page 61)	AR-2255MS
Required Disposables	
SutureLasso™ SD wire loop	AR-4068-05SD
Drill, cannulated for AC repair, 3 mm or	AR-2257D-30
Drill, cannulated for AC repair, 2.4 mm	AR-2257D-24
Literature	
Stabilization of Acute Acromioclavicular Joint Dislocations using Dog Bone™ Button Technology	LT1-0531-EN

AC TightRope®




The AC TightRope enables surgeons to easily reconstruct acute AC joint separations in a minimally invasive manner, either open or arthroscopic. The loop is made of four strands of #5 FiberWire. Fixation is achieved by cinching down the proximal button over the clavicle and tying a knot over the button.

AC TightRope® Kit (AR-2257)

Product Description	Item No.
AC TightRope® implant 18" / 46 cm nitinol suture passing wire	
Required Instrumentation	
AC joint reconstruction master set + additional recommended instruments (page 61)	AR-2255MS
Required Disposable	
2.4 mm drill tip guide pin	AR-1250L
Optional Disposables	
SutureLasso™ SD wire loop	AR-4068-05SD
Button inserter	AR-2262
Literature	
Arthroscopic Stabilization of Acute Acromioclavicular Joint Dislocation using the TightRope® System Surgical Technique	LT2-0530-EN


Twin Tail TightRope®



The Twin Tail TightRope features two independent clavicle button tails and is designed to help reduce and stabilize the AC joint for open, acute AC injuries. Each clavicle button is independently joined to the coracoid button with a continuous loop of #5 FiberWire.


Product Description	Item No.
Twin Tail TightRope®	AR-2264
Required Instruments	
Drill tip guide pin, 2.4 mm	AR-1250L
Drill, cannulated, 4.5 mm	AR-1204.5L
Long drill, cannulated, 4 mm	AR-1204LX
Button inserter	AR-2262
SutureLasso™ SD, crescent	AR-4068C
Micro SutureLasso™, minor bend	AR-8701
Optional Instrument	
Guide wire sleeve	AR-2255CG-02
Literature	
Open Stabilization of Acute Acromioclavicular Joint Dislocation using the Twin Tail TightRope® System Surgical Technique	LT0545

Chronic AC Joint Reconstruction




A FiberStick is introduced via a passer, which is guided from medial around the coracoid, and the passer is then removed. The flexible obturator can shuttle around the coracoid on the FiberStick and dilate the soft tissue prior to passing an allograft or autograft, which is knotted on the medial end of the obturator. The single use obturator is 230 mm long and has a diameter of 10 mm. It consists of a loop of uncoated polyester suture with a silicone coating.

Product Description	Item No.
Coracoid passer	AR-2252
Flexible obturator	AR-2275



AC Joint Master Set



The AC joint reconstruction system contains the instrumentation necessary to complete the acute and chronic AC joint repair techniques.

AC Joint Reconstruction Master Set (AR-2255MS)

Product Description	Item No.
Drill, cannulated, 4 mm	AR-1204L
Drill, cannulated, 4.5 mm	AR-1204.5L
Headed reamer, cannulated, 5 mm	AR-1405
Headed reamer, cannulated, 5.5 mm	AR-1405.5
Headed reamer, cannulated, 6 mm	AR-1406
Headed reamer, cannulated, 6.5 mm	AR-1406.5
ACL guide frame handle assembly	AR-1510H
AC guide, left	AR-2254L
AC guide, right	AR-2254R
Fixed guide	AR-2255CG-01
Guide pin sleeve, 2.4 mm	AR-2255CG-02
Clavicle drill positioner	AR-2255CG-03
Drill stop	AR-2255CG-04
Drill sleeve, 3 mm	AR-2255CG-05
AC Tenodesis Screw™ driver	AR-2255D
Coracoid graft passer, left	AR-2256L
Coracoid graft passer, right	AR-2256R
AC GraftRope™ graft sizer	AR-2265
Forked probe	AR-6002
AC joint instrumentation case	AR-2255MC
Additional Recommended Instruments	
Guide arm, left	AR-2253L
Guide arm, right	AR-2253R
AC drill guide assembly	AR-2273
RetroConstruction™ drill guide	AR-1510H
AC drill sleeve, 2.4 mm	AR-2255CG-02
AC drill sleeve, 3 mm	AR-2255CG-05
Drill, cannulated for AC repair, 2.4 mm	AR-2257D-24
Drill, cannulated for AC repair, 3 mm	AR-2257D-30




Biceps Tenodesis and Pectoralis Major Repair

Proximal Biceps Repair	64
SwiveLock® Tenodesis.....	64
Distal Biceps Repair	65
Distal Biceps Repair with BicepsButton™	65
Pec Button	66
Specialty Reconstruction System.....	67
Tenodesis Screw™ System.....	67
Bio-Tenodesis™ Master Set.....	68

Proximal Biceps Repair

SwiveLock® Tenodesis




The forked SwiveLock tenodesis implants are designed for all-arthroscopic proximal biceps tenodesis. The implants feature a PEEK forked tip that is used to steer the biceps tendon to the bottom of the bone socket without the need to externalize or whipstitch the tendon. There is no need to predetermine tendon length, as position and tension are easily set and visualized prior to final anchor insertion. Strong fixation is obtained by simply advancing the pre-loaded SwiveLock tenodesis screw. The system also features piloted headed reamers with built-in guide tips that eliminate the need to ream over a guide pin. SwiveLock tenodesis screws with closed eyelets are available for surgeons who prefer a whipstitching technique.

Product Description	Item No.
Forked Eyelet Options	
BioComposite™ SwiveLock® tenodesis, forked eyelet, 7 mm x 19.5 mm	AR-1662BC-7
BioComposite™ SwiveLock® tenodesis, forked eyelet, 8 mm x 19.5 mm	AR-1662BC-8
BioComposite™ SwiveLock® tenodesis, forked eyelet, 9 mm x 19.5 mm	AR-1662BC-9
PEEK SwiveLock® tenodesis, forked eyelet, 7 mm x 19.5 mm	AR-1662PSL-7
PEEK SwiveLock® tenodesis, forked eyelet, 8 mm x 19.5 mm	AR-1662PSL-8
PEEK SwiveLock® tenodesis, forked eyelet, 9 mm x 19.5 mm	AR-1662PSL-9
Closed Eyelet Options	
BioComposite™ SwiveLock® tenodesis, closed eyelet, 6.25 mm x 19.1 mm	AR-1662BC
BioComposite™ SwiveLock® tenodesis, closed eyelet, 7 mm x 19.1 mm	AR-1662BCC-7
BioComposite™ SwiveLock® tenodesis, closed eyelet, 8 mm x 19.1 mm	AR-1662BCC-8
BioComposite™ SwiveLock® tenodesis, closed eyelet, 9 mm x 19.1 mm	AR-1662BCC-9
Instruments – Reamers (Supplied Sterile)	
Piloted headed reamer, 6 mm	AR-1450
Piloted headed reamer, 6.5 mm	AR-1451
Piloted headed reamer, 7 mm	AR-1452
Piloted headed reamer, 7.5 mm	AR-1453
Piloted headed reamer, 8 mm	AR-1454
Piloted headed reamer, 8.5 mm	AR-1455
Piloted headed reamer, 9 mm	AR-1456
Piloted headed reamer, 9.5 mm	AR-1457
Piloted headed reamer, 10 mm	AR-1458
SwiveLock® tenodesis sizer, 7 mm	AR-1662T-7
SwiveLock® tenodesis sizer, 8 mm	AR-1662T-8
SwiveLock® tenodesis sizer, 9 mm	AR-1662T-9
Literature	
Biceps Tenodesis SwiveLock® System Surgical Technique	LT1-0595-EN

Distal Biceps Repair

Distal Biceps Repair with BicepsButton™




The tension slide technique with BicepsButton provides surgeons with a simple, reproducible, and biomechanically stable repair of the distal biceps. This “tensioning” technique reliably draws the tendon against the distal cortex of the bone socket. If desired, the addition of a tenodesis screw improves the biomechanical strength and allows the tendon to be placed in a more anatomic position.

Product Description	Item No.
Distal biceps repair implant system (includes BicepsButton™, button inserter, FiberLoop®, 7 mm x 10 mm PEEK Tenodesis Screw™ and BicepsButton™ drill pin)	AR-2260
BicepsButton™, 12 mm	AR-2261
#2 FiberLoop® w/straight needle	AR-7234
PEEK Tenodesis Screw™, 7 mm x 10 mm	AR-1670PS

Required Instruments Bio-Tenodesis™ Screw Master Set (AR-1675S)

Product Description	Item No.
Driver for Bio-Tenodesis™ screws	AR-1670DB
Tear drop handle w/suture cleat	AR-2001BT
Headed reamer, 8 mm, cannulated	AR-1408
Required Disposables	
Button inserter	AR-2262
BicepsButton™ drill pin, 3.2mm	AR-2263
Nitinol suture passing wire	AR-1255-18
Optional Disposable	
Low profile reamer, 8 mm	AR-1408LP
Literature	
Distal Biceps Repair using the BicepsButton™ and Tension Slide Surgical Technique	LT1-0592-EN

Pec Button



The pec button is a 2.6 x 10.9mm titanium button for the fixation of soft tissue to bone. Each end of the button has an angled face to promote a toggle effect when the button contacts the opposite cortex, enabling the pec button to be ideally suited for the repair of ruptures of the pectoralis major tendon back to bone. A unicortical pilot hole is formed with a 3.2mm drill bit and after attaching two #2 FiberWire sutures, the button is inserted in a unicortical fashion using the inserter.

Product Description	Item No.
Pec button	AR-2266
Button inserter, 2.6 mm x 10.9 mm	AR-2262
Drill, 3.2 mm	AR-2263
Spear w/circumferential teeth w/obturator	AR-1906
#2 FiberWire®, 38" / 97 cm (one blue, one black/white)	AR-7201
Pec button implant repair kit (includes: four pec buttons w/FiberWire® and needles, a button inserter, and a 3.2 mm drill pin)	AR-2268
Pec button w/inserter, larger eyelets	AR-2267
Drill, 3.7 mm	AR-2272
Pec button larger eyelet repair kit (includes: three pec buttons w/attached inserter, three 17" / 43 cm FiberTape® w/needles, three 38" / 97 cm #5 FiberWire® w/needles, and a 3.7 mm drill pin)	AR-2269
FiberTape®, 2 mm, 17" / 43 cm (blue) each end tapered to #2 FiberWire® w/tapered needle, 26.5 mm ½ circle	AR-7237-17N

Specialty Reconstruction System

Tenodesis Screw™ System



The Tenodesis Screw system was designed specifically for the reattachment of soft tissue, both ligament and tendon, to bone. The tenodesis driver facilitates accurate graft tensioning into a bony socket in a simple “push-in” method. A press fit is thus created between the Tenodesis Screw and the suture. This comprehensive product line contains BioComposite, PLLA, PEEK and titanium.

Product Description	Item No.		
Implants			
Tenodesis Screw™, 4.75 mm x 15 mm, titanium	AR-1350-475	Disposable tenodesis driver w/5.5 mm Bio-Tenodesis™ screw and #2 FiberWire® (includes: screwdriver, 5.5 mm x 15 mm screw, preloaded #2 FiberWire® loop)	AR-1555DS
Tenodesis Screw™, 5.5 mm x 15 mm, titanium	AR-1350-55	Disposables	
BioComposite™ Tenodesis Screw™ w/handled inserter, 3 mm x 8 mm	AR-1530BC	Bio-Tenodesis™ Disposables Kit (contains: 2.4 mm short guide pin, suture passing wire, #2 FiberWire® w/needle, #2-0 FiberWire® w/needle, #2 FiberWire®, #2-0 FiberWire®, #2 FiberLoop® w/straight needle, skin marking pen and ruler)	AR-1676DS
BioComposite™ Tenodesis Screw™, 4 mm x 10 mm	AR-1540BC	Bio-Tenodesis™ Disposables Kit for 3 mm x 8 mm screw	AR-1530DS
BioComposite™ Tenodesis Screw™, 4.75 mm x 15 mm	AR-1547BC	#2 FiberSnare®, #2 FiberWire®, 26" / 66 cm w/closed loop, one end stiffened, 12" / 30 cm	AR-7209SN
BioComposite™ Tenodesis Screw™, 5.5 mm x 15 mm	AR-1555BC	#2 FiberLoop® w/straight needle	AR-7234
BioComposite™ Tenodesis Screw™, 6.25 mm x 15 mm	AR-1562BC	Short guide pin, 2.4 mm, qty. 6	AR-1250SB
BioComposite™ Tenodesis Screw™, 7 mm x 10 mm	AR-1670BC	Suture passing wire	AR-1255-18
BioComposite™ Tenodesis Screw™, 7 mm x 23 mm	AR-1570BC	Guide wire, 0.86 mm w/laser line, SS	AR-8737-21
BioComposite™ Tenodesis Screw™, 8 mm x 12 mm	AR-1680BC	Disposables	
BioComposite™ Tenodesis Screw™, 8 mm x 23 mm	AR-1580BC	Cannulated Drill Bits (Accepts 2.4 mm K-wires)	
BioComposite™ Tenodesis Screw™, 9 mm x 23 mm	AR-1590BC	2.5 mm Cannulation, For Use With AR-1676DS	
Bio-Tenodesis™ screw w/handled inserter, 3 mm x 8 mm	AR-1530B	Drill, cannulated, 5 mm	AR-1676C-50
Bio-Tenodesis™ screw, 4 mm x 10 mm	AR-1540B	Drill, cannulated, 5.5 mm	AR-1676C-55
Bio-Tenodesis™ screw, 4.75 mm x 15 mm	AR-1547B	Drill, cannulated, 6 mm	AR-1676C-60
Bio-Tenodesis™ screw, 5.5 mm x 15 mm	AR-1555B	Drill, cannulated, 6.5 mm	AR-1676C-65
Bio-Tenodesis™ screw, 6.25 mm x 15 mm	AR-1562B	Cannulated Drill Bits (Accepts 1.57 mm K-wires)	
Bio-Tenodesis™ screw, 7 mm x 10 mm	AR-1670B	1.7 mm Cannulation, For Use With AR-1677DS	
Bio-Tenodesis™ screw, 7 mm x 23 mm	AR-1570B	Drill, cannulated, 4 mm	AR-1677C-40
Bio-Tenodesis™ screw, 8 mm x 23 mm	AR-1580B	Drill, cannulated, 4.5 mm	AR-1677C-45
Bio-Tenodesis™ screw, 9 mm x 23 mm	AR-1590B	Drill, cannulated, 5 mm	AR-1677C-50
Bio-Tenodesisv screw, 8 mm x 12 mm	AR-1680B	Drill, cannulated, 5.5 mm	AR-1677C-55
PEEK Tenodesis Screw™ w/handled inserter, 3 mm x 8 mm	AR-1530PS		
PEEK Tenodesis Screw™, 4 mm x 10 mm	AR-1540PS		
PEEK Tenodesis Screw™, 4.75 mm x 15 mm	AR-1547PS		
PEEK Tenodesis Screw™, 5.5 mm x 8 mm	AR-1655PS		
PEEK Tenodesis Screw™, 5.5 mm x 10 mm	AR-1655PS-10		
PEEK Tenodesis Screw™, 5.5 mm x 12 mm	AR-1655PS-12		
PEEK Tenodesis Screw™, 5.5 mm x 15 mm	AR-1555PS		
PEEK Tenodesis Screw™, 6.25 mm x 15 mm	AR-1562PS		
PEEK Tenodesis Screw™, 7 mm x 10 mm	AR-1670PS		
PEEK Tenodesis Screw™, 7 mm x 23 mm	AR-1570PS		
PEEK Tenodesis Screw™, 8 mm x 23 mm	AR-1580PS		
PEEK Tenodesis Screw™, 9 mm x 23 mm	AR-1590PS		
PEEK Tenodesis Screw™, 8 mm x 12 mm	AR-1680PS		

Bio-Tenodesis™ Master Set



Bio-Tenodesis™ Master Set (AR-1675S)

Product Description	Item No.
Drill, cannulated, 4 mm	AR-1204L
Drill, cannulated, 4.5 mm	AR-1204.5L
Headed reamer, cannulated, 5 - 10 mm Sizes: 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9 and 10 mm	AR-1405 - 1410
Tear drop handle w/suture cleat	AR-2001BT
Driver for Bio-Tenodesis™ screws (AR-1540B)	AR-1540DB
Driver for Bio-Tenodesis™ screws (AR-1670B, AR-1680B)	AR-1670DB
Driver for Tenodesis Screws™ (AR-1547B, AR-1555B, AR-1562B, AR-1350-475, AR-1350-55, AR-1655PS, AR-1655PS-10 and AR-1655PS-12)	AR-1350D
Driver for Bio-Tenodesis™ screws (AR-1570B, AR-1580B and AR-1590B)	AR-1570DB
Bio-Tenodesis™ screw instrumentation case	AR-1675C
Optional Accessories	
Bio-Tenodesis™ tap, 4.0 mm x 10 mm	AR-1540T
Bio-Tenodesis™ tap, 4.75 mm x 15 mm	AR-1547T
Bio-Tenodesis™ tap, 5.5 mm x 15 mm	AR-1555T
Bio-Tenodesis™ tap, 6.25 mm x 15 mm	AR-1562T
Bio-Tenodesis™ tap, 7.0 mm x 23 mm	AR-1570T
Bio-Tenodesis™ tap, 7.0 mm x 10 mm	AR-1670T
Bio-Tenodesis™ tap, 8.0 mm x 12 mm	AR-1680T
Drill pin tip headed reamer, 7 mm	AR-1407DP
Low Profile Screw™ system tenodesis module, 6.7 mm	AR-8967S
Driver shaft for 10 mm Tenodesis Screw™	AR-1540DB-01
Driver shaft for 12 mm Tenodesis Screw™	AR-1670DB-01
Driver shaft for 15 mm Tenodesis Screw™	AR-1350D-01
Driver shaft for 23 mm Tenodesis Screw™	AR-1570DB-01
Tear drop handle (required for starter awl)	AR-2001



Elbow Arthroscopy Set and UCL

Elbow Arthroscopy Set.....	72
Elbow Ulnar Collateral Ligament (UCL) Reconstruction.....	73

Elbow Arthroscopy Set




The elbow arthroscopy instrument set is a comprehensive set of instruments for elbow arthroscopy. The set enables improved portal placement and includes unique instruments such as arthroscopic scissors and punches for precise soft tissue resection, loose body graspers, osteotomes, and curettes as well as instruments for tissue retraction, elevation and microfracture.

Elbow Arthroscopy Set (AR-8650S)

Product Description	Item No.
Osteotome, angled up	AR-1770
Osteotome, straight	AR-1771
Extra long switching stick, 4 mm	AR-3026
Graduated black probe, 2.5 mm tip	AR-5007
Portal dilating set	AR-8620
Articulating paddle elevator	AR-8630
Articulating hook elevator	AR-8631
Howard elevator	AR-8650-06
Cup curette, 45°	AR-8650-07
Osteotome, angled up, 5.5 mm	AR-8650-08
Osteotome, straight, 5.5 mm	AR-8650-09
Ring curette, reverse angled	AR-8655-04
Chondro pick, 30°	AR-8655-05
Chondro pick, 60°	AR-8655-06
Osteotome, curved	AR-8655-09
Ring curette, angled	AR-8655-15
Examining hooks	AR-8655-16
Cup curette, curved shaft, 100 mm long	AR-8660
Cup curette, straight shaft, 100 mm long	AR-8661
Chondro pick, straight, 40°	AR-8670
Obturator	AR-8680
Probe hook, 5.4 mm, tip w/5 mm markings	AR-10000
Articulating probe	AR-10100
Grasper, mini straight tip, 2.75 mm straight shaft w/SR handle	AR-11900SR
Scissor, serrated tooth straight tip, 3.5 mm straight shaft	AR-12140
Scissor, right curved tip, 3.4 mm straight shaft	AR-12150
Scissor, left curved tip, 3.4 mm straight shaft	AR-12160
Punch, capsular, inverted scoop tip,	AR-12170
Punch, WideBiter™ capsular, inverted scoop tip	AR-12180
Punch, large straight tip, 3.4 mm straight shaft	AR-12200
Punch, large straight tip, 3.4 mm, 15° up curved shaft	AR-12210
Suture retriever, 3.4 mm straight	AR-12540
Graft passing forceps w/SR handle	AR-13400SR
Grasper, blunt straight tip, 4.2 mm straight shaft w/SR handle	AR-13500SR
Grasper, alligator hook, 4.2 mm straight shaft w/SR handle	AR-13600SR
KingFisher® suture retriever	AR-13970SR
Elbow instrument case	AR-8650C

Elbow Ulnar Collateral Ligament (UCL) Reconstruction



The elbow UCL reconstruction set includes all the instrumentation needed to perform elbow UCL reconstructions and will accommodate all techniques including the modified Jobe technique, docking technique, DANE TJ technique, as well as any technique using Tenodesis Screws or a flipping button. This set allows the precise placement of bone tunnels and sockets in the ulna and humeral epicondyle using guided instruments, drills and/or reamers. A recommended disposables kit provides novel instruments to easily pass sutures through the prepared bone tunnels and sockets, making graft passage a quick and easy part of the case.

Elbow UCL Reconstruction Case (AR-7700S)

Product Description	Item No.
Drill, cannulated, 4.5 mm	AR-1204.5L
Drill, cannulated, 4 mm	AR-1204L
Drill, cannulated, 5 mm	AR-1205L
UCL humeral tunnel guide sleeve, 5 mm x 15 mm	AR-7710
UCL humeral tunnel drill bit, 4.5 mm	AR-7710-4.5
UCL humeral tunnel drill bit, 5 mm	AR-7710-5.0
UCL humeral socket drill guide, 4.5 mm x 15 mm	AR-7711
Adjustable humeral guide, 4.5 mm	AR-7720
Humeral drill, 2 mm	AR-7720-2.0
Humeral drill, 3.5 mm	AR-7720-3.5
Humeral drill, 4 mm	AR-7720-4.0
UCL graft sizing block	AR-7730
V-guide drill, 3.5 mm	AR-7750-3.5
Ulna V-guide drill, 55°	AR-7750-55
Ulna partial V-guide drill, 55°	AR-7750-55M
Intersecting V-guide obturator	AR-7751
Drill guide, 3.5 mm	AR-7752
Ulna offset guide, 7.0 mm	AR-7755
#2 curette, 7" / 18 cm long, 45° tip	AR-7799-2
#3-0 curette, 7" / 18 cm long, 45° tip	AR-7799-3-0
#4 curette, 7" / 18 cm long, 45° tip	AR-7799-4-0
Elbow UCL reconstruction case	AR-7700C
Optional Instrument	
Humeral drill, 2.7 mm	AR-7720-2.7
Humeral drill, 3.2 mm	AR-7720-3.2

UCL Suture Passing Disposables Kit


Product Description	Item No.
#2 TigerLoop™, #2 FiberLoop®, curved Micro SutureLasso™ w/wire loop, 4.5 mm wire skid, chamfer tool, two suture passing wires, blunt curved needle w/nitinol loop, and 6" / 15 cm ruler	AR-7715-4.5



Clavicle Plate and Screw System

Clavicle Plate Set	76
2.7 mm Low Profile Locking Screws™	78
3 mm Low Profile Non-Locking Screws, Cancellous.....	78
3.5 mm Low Profile Non-Locking Screws, Cortical	78
3.5 mm Low Profile Locking Screws™	79
4 mm Low Profile Non-Locking Screws, Cancellous.....	79

Clavicle Plate Set



The clavicle plate and screw system is a comprehensive set designed to treat central third and distal clavicle fractures. The clavicle plates are low profile, precontoured, stainless steel plates that combine locking and non-locking options in each plate. Secondary fixation to the coracoid is achieved through the plate using AC TightRope technology, particularly the AC Dog Bone Button,

making the system ideal for treating type IIb distal clavicle fractures or fractures that have poor bone quality laterally, with which it can be difficult to achieve adequate screw fixation. Suture holes in the plates allow incorporation of FiberWire or FiberTape onto the plate to capture butterfly fragments or to cerclage severely comminuted distal fragments.

Clavicle Plate Set (AR-2650S)

Product Description	Item No.
Driver handle, cannulated BB-Tak™	AR-13221AOC AR-13226
Distal clavicle plate positioning handle	AR-2659
Plate bending iron	AR-2660
Distal clavicle plate drill guide, left	AR-2661L
Distal clavicle plate drill guide, right	AR-2661R
Verbrugge forceps with pivoting jaw	AR-2662
K-wire, 0.062" / 1.6 mm x 3" / 7.6 cm	AR-2663
T15 hexalobe drive shaft, long	AR-8941DH
T10 hexalobe driver	AR-8944DH
Drill guide, 2.6" / 1.35 mm	AR-8943-03
Bone reduction forceps	AR-8943-07
Screw driver, T10 hexalobe	AR-8943-08
T15 hexalobe driver	AR-8943-10
Screw holding sleeve	AR-8943-11
Drill, 2.5 mm	AR-8943-13
Drill guide, 3.5" / 2.5 mm	AR-8943-14
Depth device	AR-8943-15
Drill, 2 mm	AR-8943-16
Drill guide, 2.7 mm, threaded	AR-8943-17
Plate bending iron	AR-8943-18
Freer elevator	AR-8943-19
Periosteal elevator, 6 mm, curved	AR-8943-20
Sharp hook	AR-8943-21
Hohmann retractor, 15 mm	AR-8943-22
Lobster claw forceps	AR-8943-23
Drill guide, 3.5 mm, threaded	AR-8943-26
3.5 mm locking bending guide	AR-8954-07
Clavicle plating system instrument case	AR-2650C
Additional Instruments Distal Plates	
T10 hexalobe driver	AR-2665-T10
Drill for 2.7 mm screws	AR-2669
Screw depth indicator	AR-2670
Guide sleeve	AR-2668
Drill guide, right	AR-2664R
Additional Instruments	
Drill, 3 mm, cannulated	AR-2257D-30
Drill, 2.4 mm, cannulated	AR-2257D-24
AC guide, right	AR-2254R
AC guide, left	AR-2254L
ACL guide frame handle assembly	AR-1510H
Drill sleeve, 3 mm	AR-2255CG-05
Locking bending guide	AR-8954-07
T15 hexalobe driver, long	AR-2666-T15

Implants	
Clavicle fracture plate, central third, left	AR-2650CL
Clavicle fracture plate, central third, right	AR-2650CR
Clavicle fracture plate, central third, left	AR-2651CL
Clavicle fracture plate, central third, right	AR-2651CR
Clavicle fracture plate, central third, left	AR-2652CL
Clavicle fracture plate, central third, right	AR-2652CR
Clavicle fracture plate, central third, left	AR-2653CL
Clavicle fracture plate, central third, right	AR-2653CR
Clavicle fracture plate, central third, left	AR-2654CL
Clavicle fracture plate, central third, right	AR-2654CR
Clavicle fracture plate, central third, left	AR-2655CL
Clavicle fracture plate, central third, right	AR-2655CR
Distal clavicle fracture plate, short, left	AR-2656DL
Distal clavicle fracture plate, short, right	AR-2656DR
Distal clavicle fracture plate, long, left	AR-2657DL
Distal clavicle fracture plate, long, right	AR-2657DR
Distal clavicle plate button	AR-2658
Dog Bone™ Button	AR-2270
FiberTape® loop, 2 mm, 8" / 20 cm (blue), tapered to #2 FiberWire®	AR-7275
TigerTape™ loop, 2 mm, 8" / 20 cm (white/black), tapered to #2 TigerWire®	AR-7275T
Literature	
Clavicle Plate and Screw System Surgical Technique	LT2-0255-EN

2.7 mm Low Profile Locking Screws™



Product Description	Item No.
Low Profile Locking Screw™, 2.7 mm x 8 mm	AR-8827L-08
Low Profile Locking Screw™, 2.7 mm x 10 mm	AR-8827L-10
Low Profile Locking Screw™, 2.7 mm x 12 mm	AR-8827L-12
Low Profile Locking Screw™, 2.7 mm x 14 mm	AR-8827L-14
Low Profile Locking Screw™, 2.7 mm x 16 mm	AR-8827L-16
Low Profile Locking Screw™, 2.7 mm x 18 mm	AR-8827L-18
Low Profile Locking Screw™, 2.7 mm x 20 mm	AR-8827L-20
Low Profile Locking Screw™, 2.7 mm x 22 mm	AR-8827L-22
Low Profile Locking Screw™, 2.7 mm x 24 mm	AR-8827L-24

3 mm Low Profile Non-Locking Screws, Cancellous




Product Description	Item No.
Low Profile Screw™, non-locking, 3 mm x 10 mm	AR-8830-10
Low Profile Screw™, non-locking, 3 mm x 12 mm	AR-8830-12
Low Profile Screw™, non-locking, 3 mm x 14 mm	AR-8830-14
Low Profile Screw™, non-locking, 3 mm x 16 mm	AR-8830-16
Low Profile Screw™, non-locking, 3 mm x 18 mm	AR-8830-18
Low Profile Screw™, non-locking, 3 mm x 20 mm	AR-8830-20
Low Profile Screw™, non-locking, 3 mm x 22 mm	AR-8830-22
Low Profile Screw™, non-locking, 3 mm x 24 mm	AR-8830-24

3.5 mm Low Profile Non-Locking Screws, Cortical



Product Description	Item No.
Low Profile Screw™, SS, 3.5 mm x 8 mm	AR-8835-08
Low Profile Screw™, SS, 3.5 mm x 10 mm	AR-8835-10
Low Profile Screw™, SS, 3.5 mm x 12 mm	AR-8835-12
Low Profile Screw™, SS, 3.5 mm x 14 mm	AR-8835-14
Low Profile Screw™, SS, 3.5 mm x 16 mm	AR-8835-16
Low Profile Screw™, SS, 3.5 mm x 18 mm	AR-8835-18
Low Profile Screw™, SS, 3.5 mm x 20 mm	AR-8835-20
Low Profile Screw™, SS, 3.5 mm x 22 mm	AR-8835-22
Low Profile Screw™, SS, 3.5 mm x 24 mm	AR-8835-24
Low Profile Screw™, SS, 3.5 mm x 26 mm	AR-8835-26
Low Profile Screw™, SS, 3.5 mm x 28 mm	AR-8835-28
Low Profile Screw™, SS, 3.5 mm x 30 mm	AR-8835-30

3.5mm Low Profile Locking Screws™



Product Description	Item No.
Low Profile Locking Screw™, 3.5 mm x 8 mm	AR-8835L-08
Low Profile Locking Screw™, 3.5 mm x 10 mm	AR-8835L-10
Low Profile Locking Screw™, 3.5 mm x 12 mm	AR-8835L-12
Low Profile Locking Screw™, 3.5 mm x 14 mm	AR-8835L-14
Low Profile Locking Screw™, 3.5 mm x 16 mm	AR-8835L-16
Low Profile Locking Screw™, 3.5 mm x 18 mm	AR-8835L-18
Low Profile Locking Screw™, 3.5 mm x 20 mm	AR-8835L-20
Low Profile Locking Screw™, 3.5 mm x 22 mm	AR-8835L-22
Low Profile Locking Screw™, 3.5 mm x 24 mm	AR-8835L-24

4mm Low Profile Non-Locking Screws, Cancellous




Product Description	Item No.
Low Profile Screw™, non-locking, 4 mm x 10 mm	AR-8840-10
Low Profile Screw™, non-locking, 4 mm x 12 mm	AR-8840-12
Low Profile Screw™, non-locking, 4 mm x 14 mm	AR-8840-14
Low Profile Screw™, non-locking, 4 mm x 16 mm	AR-8840-16
Low Profile Screw™, non-locking, 4 mm x 18 mm	AR-8840-18
Low Profile Screw™, non-locking, 4 mm x 20 mm	AR-8840-20
Low Profile Screw™, non-locking, 4 mm x 22 mm	AR-8840-22
Low Profile Screw™, non-locking, 4 mm x 24 mm	AR-8840-24




FiberWire® Suture

FiberWire®	82
FiberLoop®	83
TigerWire®	84
FiberStick™ and TigerStick®	84
FiberChain®	85
FiberLink™ and TigerLink™	85
FiberTape® and TigerTape™	86
LabralTape™	86
FiberSnare®	87
FingerShields™	87



FiberWire suture is constructed of a multi-stranded long-chain ultra-high molecular weight polyethylene (UHMWPE) core with a braided jacket of polyester and UHMWPE that gives FiberWire superior strength, a soft feel and abrasion resistance that is unequaled in orthopedic surgery. Suture breakage during knot tying is virtually eliminated, which is especially critical during arthroscopic procedures.


Product Description	Item No.
#2 FiberWire®, 38" / 97 cm (blue) w/tapered needle, 26.5 mm ½ circle	AR-7200
#2 FiberWire®, 38" / 97 cm (blue) w/reverse cutting needle, 36.6 mm ½ circle	AR-7202
#2 FiberWire®, 38" / 97 cm (blue) w/two tapered needles, 26.5 mm ½ circle	AR-7205
#2 FiberWire®, 38" / 97 cm (blue) w/tapered needle, 36.6 mm ½ circle	AR-7206
#2 FiberWire®, 38" / 97 cm (one blue, one white/black) w/tapered needle, 26.5 mm ½ circle	AR-7208
#2 FiberWire®, 38" / 97 cm (three blue, one white, one white/black) w/tapered needle, 26.5 mm ½ circle	AR-7214
#2 FiberWire®, 38" / 97 cm (one blue, one white/black) w/reverse cutting needle, 36.6 mm ½ circle	AR-7217
#2 FiberWire®, 38" / 97 cm (blue)	AR-7233
#2 FiberWire®, 38" / 97 cm (one blue, one white/black)	AR-7201
#2 FiberWire®, 38" / 97 cm (one white, one blue/black)	AR-7240
#5 FiberWire®, 38" / 97 cm	AR-7210
#5 FiberWire®, 38" / 97 cm w/conventional cutting needle, 48 mm ½ circle	AR-7211
#5 FiberWire®, 38" / 97 cm (one blue, one white, one white/black) w/conventional cutting needle, 48 mm ½ circle	AR-7212
#5 FiberWire®, 38" / 97 cm w/conventional cutting needle, 48 mm ½ circle and tapered needle, 26.5 mm ½ circle	AR-7213
#1 FiberWire®, 38" / 97 cm (blue)	AR-7216
#0 FiberWire®, 38" / 97 cm (white)	AR-7255
#0 FiberWire®, 38" / 97 cm, w/tapered needle, 22.2 mm ½ circle	AR-7250
#0 FiberWire®, 38" / 97 cm, w/diamond point needle, 22.2 mm ½ circle	AR-7251
FiberWire® Suture Kit	
Four #5 FiberWire® (blue), four #5 FiberWire® (white), four #5 FiberWire® (white/black), six #2 FiberWire® (blue) w/tapered needle and three free needles	AR-7219



FiberLoop is a continuous loop of FiberWire with multiple needle options. The needles are easy to handle and move freely on the suture to recenter themselves after passing through tissue and facilitating even tension. The FiberLoop is the optimal choice for preparing the ends of tendons with FiberWire.

Product Description	Item No.
#2 FiberLoop® w/straight needle, 20" / 51 cm (blue), 76 mm needle w/7 mm loop	AR-7234
#2 FiberLoop® w/straight needle, 20" / 51 cm (white), 76 mm needle w/7 mm loop	AR-7234-01
#2 TigerLoop™ w/straight needle, 20" / 51 cm w/TigerWire® (white/green), 76 mm needle w/7 mm loop	AR-7234T
#2 FiberLoop® w/curved needle, 20" / 51 cm (blue), ½ circle	AR-7234C
#0 FiberLoop® w/straight needle, 13" / 33 cm (blue), 76 mm needle w/7 mm loop	AR-7253
#0 TigerLoop™ w/straight needle, 13" / 33 cm (white/black), 76 mm needle w/7 mm loop	AR-7253T


TigerWire®



TigerWire suture uses the same high-strength construction as FiberWire except that it contains a black nylon marker strand in the suture weave. This strand appears as a stripe in the suture, making suture identification easier during open or arthroscopic tissue repairs.

Product Description	Item No.
#2 FiberWire®, 38" / 97 cm (one blue, one white/black)	AR-7201
#2 TigerWire®, 38" / 97 cm (white/black)	AR-7203
#2 TigerWire®, 38" / 97 cm (white/black) w/two tapered needles, 26.5 mm ½ circle	AR-7205T
#2 FiberWire®, 38" / 97 cm (one white, one blue/black)	AR-7240
#1 TigerWire®, 38" / 97 cm (white/black)	AR-7216T
#0 TigerWire®, 38" / 97 cm (white/green) w/tapered needle, 26.5 mm ⅝ circle	AR-7256


FiberStick™ and TigerStick®



The 30 cm stiff "waxed" section of the FiberStick suture allows convenient and easy advancement through most cannulated instruments such as lassos, alleviating the need for a monofilament suture or wire suture shuttle. FiberSticks come with a thin plastic tube which protects the stiffened suture until use.

Product Description	Item No.
FiberStick™, #2 FiberWire®, 50" / 127 cm (blue), one end stiffened, 12" / 30 cm	AR-7209
TigerStick®, #2 TigerWire®, 50" / 127 cm (white/black), one end stiffened, 12" / 30 cm	AR-7209T
#2-0 FiberStick™, #2-0 FiberWire® 50" / 127 cm (blue), one end stiffened, 12" / 30 cm	AR-7222

FiberChain®



FiberChain is a single-stranded #2 FiberWire suture that transitions to chain links of interwoven FiberWire. It is intended for use with the SwiveLock anchor with an open eyelet.

Product Description	Item No.
FiberChain®, #2 FiberWire® w/ten 7 mm long loops (required w/SwiveLock®)	AR-7270


FiberLink™ and TigerLink™



FiberLink is constructed from blue #2 FiberWire and transitions from a single strand to an extended loop. This design is intended to allow two single strands of #2 FiberWire within a “cinch stitch” to gain purchase around tissue, while only managing one strand through the PushLock anchor.

Product Description	Item No.
FiberLink™, #2 FiberWire® (blue) w/loop	AR-7235
TigerLink™, #2 TigerWire® (white/black) w/loop	AR-7235T

FiberTape® and TigerTape™



FiberTape is an ultra-high-strength 2 mm tape using a similar long-chain polyethylene structure as the FiberWire suture. In addition to high-demand applications such as AC joint reconstruction, the broad footprint of the FiberTape is ideal for repairs in degenerative cuff tissue where tissue pull-through may be a concern.

Product Description	Item No.
FiberTape®, 2 mm, 36" / 91 cm (blue) each end tapered to #2 FiberWire®	AR-7237
FiberTape®, 2 mm, 7" / 18 cm (blue) each end tapered to #2 FiberWire®	AR-7237-7
FiberTape®, 2 mm, 17" / 43 cm (blue) each end tapered to #2 FiberWire® w/tapered needle, 26.5 mm ½ circle	AR-7237-17N
TigerTape™, 2 mm, 7" / 18 cm (white/black) each end tapered to #2 FiberWire®	AR-7237-7T
FiberTape® loop, 2 mm, 8" / 20 cm (blue), tapered to #2 FiberWire®	AR-7275
TigerTape™ loop, 2 mm, 8" / 20 cm (white/black), tapered to #2 TigerWire®	AR-7275T


LabralTape™



LabralTape is a smooth, low profile, 1.5 mm specialty tape that is made from polyethylene. This product provides a wider footprint and is 37% more resistant to tissue tear-through vs. a #2 suture. LabralTape is the ideal suture for the restoration of labral height in instability repairs. The white-black version of the tape has good arthroscopic visibility because of an interwoven nylon strand.

Product Description	Item No.
LabralTape™ 1.5 mm, 36" / 91 cm braided polyethylene suture (white/black)	AR-7276T
LabralTape™ 1.5 mm, 36" / 91 cm braided polyethylene suture, white, UHMWPE	AR-7276


FiberSnare®



FiberSnare with closed loop provides an easy, one-step approach to creating a FiberWire loop on the tip of the Bio-Tenodesis driver. Instead of using a nitinol wire, insert the stiff non-looped end retrograde through the tip of the Bio-Tenodesis driver. The FiberSnare can also be used as a suture shuttle for passage of traction sutures through bone tunnels.

Product Description	Item No.
#2 FiberSnare®, #2 FiberWire®, 26" / 66 cm (green) w/ 3/4" / 2 cm closed loop, 12" / 30 cm stiffened	AR-7209SN

FingerShields™



The FingerShields is a woven, white polyester sleeve with an embedded radiopaque blue marker designed to reduce pressure induced lacerations to the digits of the hand caused by repetitive knot tying during surgical cases. They slip right over sterile gloves when needed. There are two FingerShields per sterile pack.

Product Description	Item No.
FingerShields™, 2 / pk	AR-7199



Limb Positioning Devices

TRIMANO® Support Arm.....	90
Beach Chair Positioner.....	91
Lateral Decubitus Shoulder Traction Tower	92
Lateral Traction Arm Sleeve	93
3-Point Shoulder Distraction System	94
STaR Sleeve™ Arm Sleeve (Shoulder Traction and Rotation)	95
Shoulder Positioning Device and Post-OP Dressing	95

TRIMANO® Support Arm



TRIMANO acts as the surgical team's "third hand" by securely and safely holding the patient's arm in any desired position during arthroscopic or open shoulder surgery performed in the beach chair position. The compact and lightweight device is easily attached to any OR table Clark rail and is ready for immediate use. No additional power or air connections are required. The patient's arm can be moved in any direction by pressing the TRIMANO's handle. Releasing the handle locks it into the desired position. The convenient TRIMANO beach chair kit includes a sterile drape for the support arm, an ergonomically designed foam arm holder and Coban. The kit allows for quick and easy patient preparation, while gently protecting the operative arm.

Product Description	Item No.
TRIMANO® support arm	AR-1640
TRIMANO® adapter	AR-1641
TRIMANO® beach chair kit (6/box)	AR-1644
TRIMANO® elbow kit	AR-1646
TRIMANO® atraumatic hand holder	AR-1647
TRIMANO® drape	AR-1648

Beach Chair Positioner



The lift-assist beach chair positioner system allows unobstructed posterior access and makes repositioning the patient quick and easy. The free-sliding head positioner feature protects the patient's neck when raising and lowering the table. The fold-away shoulder wings also detach completely for unobstructed access to the operative shoulder. The lift-assist design enables nearly effortless positioning as the piston supports most of the patient's weight.

Product Description	Item No.
"Lift-assist" beach chair positioner (includes: reusable pad set, intubation pad and plate, beach chair clamps (two), and reusable security strap)	AR-1627
LPS arm support	AR-1627-01
Counter traction strap	AR-1627-03
Universal head positioner	AR-1627-20
Head positioner disposable kit (10/box)	AR-1627-06
Easy lock socket (need two)*	AR-1627-12
Beach chair cart	AR-1627-13

* Please select country code.

Lateral Decubitus Shoulder Traction Tower



The lateral decubitus shoulder traction tower allows for abduction, forward flexion and traction during open and arthroscopic procedures. The single boom arm can be easily adjusted with two independent hand cranks for simplified intraoperative adjustment. This tower attaches easily to the standard OR table Clark rail. The universal carabiner clamp makes the system compatible with all STaR Sleeves (shoulder traction and rotation). When not in use, the system can be folded, minimizing storage space required in the OR suite.

Product Description	Item No.
Lateral decubitus shoulder traction tower	AR-1630


Lateral Traction Arm Sleeve



The lateral traction arm sleeve provides the surgeon with a simple, economical “roll-down” solution for traction in the lateral decubitus position. This kit includes the nylon/spandex arm sleeve, 10 cm Coban, superficial radial nerve pad, and 2 m rope with S hook. The nerve pad can be used over or under the sleeve to protect the superficial radial nerve from compression type injury. This sleeve can be used with the lateral decubitus shoulder traction tower or 3-point shoulder distraction system. In addition, the rope with S hook allows the sleeve to be used with other traction towers. The entire system is latex-free and provided sterile.

Product Description	Item No.
Lateral traction arm sleeve	AR-1635
Accessory Items for Limb Positioners	
Traction scale attachment	AR-1604
Weight hanger rod	AR-1607G
Slotted disc weight, 1 kg	AR-1608G
Slotted disc weight, 0.5 kg	AR-1609G
Slotted disc weight, 0.25 kg	AR-1610G
Storage hook and wall mount	AR-1605S
Storage stand for limb positioners	AR-1600SS

3-Point Shoulder Distraction System



This versatile system provides safe, effective and easy positioning of the shoulder during all types of arthroscopic or open shoulder surgery performed in the lateral decubitus position. 3-point shoulder traction with a lateral strap permits ideal shoulder positioning for improved access to the anterior glenohumeral joint. During more routine arthroscopic procedures, single-point traction may be selected at any desired angle of abduction by transferring weights to the third traction cable. The 3-point shoulder distraction system attaches easily to standard OR table Clark rails.

Product Description	Item No.
3-point shoulder distraction system	AR-1600G

STaR Sleeve™ Arm Sleeve (Shoulder Traction and Rotation)



The STaR Sleeve is a sterile, soft foam traction boot designed to gently cradle the arm, forearm and wrist during distal distraction in any desired position of abduction. The STaR Sleeve is used with the 3-point shoulder distraction system or the lateral decubitus shoulder traction tower. The cushioned lateral traction sling is an economical alternative to the STaR Sleeve when used with the atraumatic hand holder traction attachment.

Product Description	Item No.
STaR Sleeve™, Coban, sterile, compact, qty. 6	AR-1606C
STaR Sleeve™, Coban, sterile, qty. 6	AR-1606
STaR Sleeve™, Velcro, sterile, qty. 6	AR-1606V
STaR Sleeve™, Velcro, sterile, extra long, qty. 6	AR-1606LV
STaR Sleeve™, Velcro, sterile, small, qty. 6	AR-1606SV
Cushioned lateral traction sling (for instability), qty. 6	AR-1603
Atraumatic hand holder traction attachment	AR-1602D

Shoulder Positioning Device and Post-OP Dressing



The ProWick shoulder postoperative dressing and cold therapy system is revolutionary technology designed to meet the demands of arthroscopic and mini open surgical techniques. ProWick features a tapeless design composed of state-of-the-art, super-absorbent material that stores patient exudate away from the surgical incision sites while compression and cold therapy are applied to the healing joint.

Product Description	Item No.
ProWick® shoulder postoperative dressing and cold therapy system (box of 10, packed individually, sterile)	AR-1625P









Anchor Chart Rotator Cuff

4.5. mm Corkscrew® FT	100
5.5mm Corkscrew® FT	101


Anchor Chart | Rotator Cuff

Product	Dimensions	Anchor	Material	Suture	Part Number
	4.5 mm Corkscrew® FT				
	4.5 mm x 14 mm	BioComposite™ Corkscrew® FT	β-TCP	two #2 FiberWire®	AR-1927BCF-45
	4.5 mm x 14 mm	PEEK Corkscrew® FT	PEEK	w/two #2 FiberWire® & four needles	AR-1927PNF-45
	4.5 mm x 14 mm	PEEK Corkscrew® FT	PEEK	two #2 FiberWire®	AR-1927PSF-45
	4.5 mm x 14 mm	Corkscrew® FT	Titanium	two #2 FiberWire®	AR-1928SF-45
	4.5 mm x 14 mm	Bio-Corkscrew® FT	PLLA	two #2 FiberWire®	AR-1927BF-45
	4.5 mm x 14 mm	Bio-Corkscrew® FT	PLLA	two #2 TigerTail®	AR-1927BFT-45
	4.5 mm x 14 mm	Bio-Corkscrew® FT	PLLA	w/two #2 FiberWire® & four needles	AR-1927BNF-45
	4.5 mm PushLock®				
	4.5 mm x 24 mm	BioComposite™ PushLock®	β-TCP PEEK	closed eyelet	AR-1922BC
	4.5 mm x 28 mm	BioComposite™ PushLock® SP	β-TCP Titanium	self-punching	AR-1922BCM
	4.5 mm x 24 mm	PEEK PushLock®	PEEK	closed eyelet	AR-1922PS
	4.5 mm x 28 mm	PEEK PushLock® SP	PEEK Titanium	self-punching	AR-1922PSM
	4.5 mm x 24 mm	Bio-PushLock™	PLLA PEEK	closed eyelet	AR-1922B
	4.75 mm SwiveLock®				
	4.75 mm x 19.1 mm	BioComposite™ SwiveLock® C	β-TCP PEEK	closed eyelet	AR-2324BCC
	4.75 mm x 19.1 mm	BioComposite™ SwiveLock® C	β-TCP PEEK	closed eyelet w/blue FiberTape® loop	AR-2324BCCT
	4.75 mm x 19.1 mm	BioComposite™ SwiveLock® C	β-TCP PEEK	closed eyelet w/white/black TigerTape™ loop	AR-2324BCCTT
	4.75 mm x 24.5 mm	BioComposite™ SwiveLock® SP	β-TCP Titanium	self-punching	AR-2324BCM
	4.75 mm x 19.1 mm	PEEK SwiveLock® C	PEEK	closed eyelet	AR-2324PSLC
	4.75 mm x 24.5 mm	PEEK SwiveLock® SP	PEEK Titanium	self-punching	AR-2324PSLM
	4.75 mm x 24.5 mm	Titanium SwiveLock® SP	Titanium	self-punching	AR-2324SLM
	4.75 mm x 19.1 mm	Bio-SwiveLock™ C	PLLA PEEK	closed eyelet	AR-2324BSLC
	4.75 mm x 19.1 mm	Bio-SwiveLock™ C	PLLA PEEK	closed eyelet w/blue FiberTape® loop	AR-2324BSLT
	5.5 mm BioComposite™ Corkscrew® FT				
	5.5 mm x 14.7 mm	BioComposite™ Corkscrew® FT	β-TCP	two #2 FiberWire®	AR-1927BCF
	5.5 mm x 14.7 mm	BioComposite™ Corkscrew® FT	β-TCP	three #2 FiberWire®	AR-1927BCF-3
	5.5 mm x 14.7 mm	BioComposite™ Corkscrew® FT	β-TCP	two #2 TigerTail®	AR-1927BCFT
5.5 mm x 14.7 mm	BioComposite™ Corkscrew® FT	β-TCP	w/two #2 FiberWire® & four needles	AR-1927BCNF	

Anchor Chart | Rotator Cuff

Product	Dimensions	Anchor	Material	Suture	Part Number
	5.5mm PEEK Corkscrew® FT				
	5.5 mm x 14.7 mm	PEEK Corkscrew® FT	PEEK	w/two #2 FiberWire® & four needles	AR-1927PNF
	5.5 mm x 14.7 mm	PEEK Corkscrew® FT	PEEK	two #2 FiberWire®	AR-1927PSF
	5.5 mm x 14.7 mm	PEEK Corkscrew® FT	PEEK	three #2 FiberWire®	AR-1927PSF-3
	5.5mm Corkscrew® FT				
	5.5 mm x 16.3 mm	Corkscrew® FT	Titanium	two #2 FiberWire®	AR-1928SF-2
	5.5 mm x 16.3 mm	Corkscrew® FT	Titanium	three #2 FiberWire®	AR-1928SF-3
	5.5 mm x 16.3 mm	Corkscrew® FT	Titanium	two #2 TigerTail®	AR-1928SFT-2
	5.5 mm x 16.3 mm	Corkscrew® FT	Titanium	w/two #2 FiberWire® & four needles	AR-1928SNF-2
	5.5mm Bio-Corkscrew® FT				
	5.5 mm x 14.7 mm	Bio-Corkscrew® FT	PLLA	two #2 FiberWire®	AR-1927BF
	5.5 mm x 14.7 mm	Bio-Corkscrew® FT	PLLA	three #2 FiberWire®	AR-1927BF-3
	5.5 mm x 14.7 mm	Bio-Corkscrew® FT	PLLA	FiberChain®	AR-1927BFC
	5.5 mm x 14.7 mm	Bio-Corkscrew® FT	PLLA	FiberChain® and #2 FiberWire®	AR-1927BFCF
	5.5 mm x 14.7 mm	Bio-Corkscrew® FT	PLLA	two #2 TigerTail®	AR-1927BFT
	5.5 mm x 14.7 mm	Bio-Corkscrew® FT	PLLA	w/two #2 FiberWire® & four needles	AR-1927BNF
	5.5 mm x 14.7 mm	Bio-Corkscrew® FT	PLLA	four NeedlePunch® needles and two #2 FiberWire®	AR-1927BNP4
	5.5mm SwiveLock®				
	5.5 mm x 19.1 mm	BioComposite™ SwiveLock® C	β-TCP PEEK	closed eyelet	AR-2323BCC
5.5 mm x 24.5 mm	BioComposite™ SwiveLock® SP	β-TCP Titanium	self-punching	AR-2323BCM	
	5.5 mm x 19.1 mm	PEEK SwiveLock® C	PEEK	closed eyelet	AR-2323PSLC
	5.5 mm x 20 mm	PEEK SwiveLock®	PEEK	forked tip use w/FiberChain®	AR-2323PSL
	5.5 mm x 24.5 mm	PEEK SwiveLock® SP	PEEK Titanium	self-punching	AR-2323PSLM
	5.5 mm x 24.5 mm	Titanium SwiveLock® SP	Titanium	self-punching	AR-2323SLM
5.5 mm x 19.1 mm	Bio-SwiveLock™ C	PLLA	closed eyelet	AR-2323BSLC	
5.5 mm x 20 mm	Bio-SwiveLock™	PLLA	forked tip use w/FiberChain®	AR-2323BSL	
5.5 mm x 24.5 mm	Bio-SwiveLock™ SP	PLLA Titanium	self-punching	AR-2323BSLM	
	6.5mm Corkscrew® FT				
	6.5 mm x 14.7 mm	BioComposite™ Corkscrew® FT	β-TCP	two #2 FiberWire®	AR-1927BCF-65
	6.5 mm x 14.7 mm	PEEK Corkscrew® FT	PEEK	two #2 FiberWire®	AR-1927PSF-65
	6.5 mm x 16.3 mm	Corkscrew® FT	Titanium	three #2 FiberWire®	AR-1929SF-3
6.5 mm x 14.7 mm	Bio-Corkscrew® FT	PLLA	two #2 FiberWire®	AR-1927BF-65	

4.5 mm Corkscrew® FT



4.5 mm Corkscrew® FT (BioComposite™, PEEK and Bio) Instrumentation

Product Description	Item No.
Required Instrumentation	
Punch	AR-1922P
Punch/tap (for hard bone)	AR-1927PTB-45
Optional Instrument	
Disposable punch	AR-1922PBS

Metal anchors do not require instrumentation.

4.75 mm SwiveLock® (BioComposite™, PEEK and Bio) Instrumentation


Product Description	Item No.
Required Instrumentation	
Punch	AR-1927PB
Punch/tap (for hard bone)	AR-2324PTB
Optional Instrument	
Disposable punch	AR-1927PBS
Spade tip drill	AR-1927D

4.5 mm PushLock® (BioComposite™, PEEK and Bio) Instrumentation

Product Description	Item No.
Required Instrumentation	
Punch	AR-1922P
Optional Instrument	
Disposable punch	AR-1922PBS

Self-punching PushLocks do not require instrumentation.

5.5 mm Corkscrew® FT



5.5 mm Corkscrew® FT (BioComposite™, PEEK and Bio) Instrumentation

Product Description	Item No.
Required Instrumentation	
Punch Punch/tap (for hard bone)	AR-1927PB AR-1927CTB
Optional Instrument	
Disposable punch Spade tip drill	AR-1927PBS AR-1927D

5.5 mm SwiveLock® (BioComposite™, PEEK and Bio) Instrumentation

Product Description	Item No.
Required Instrumentation	
Punch Punch/tap (for hard bone)	AR-1927PB AR-1927CTB
Optional Instrument	
Disposable punch Spade tip drill	AR-1922PBS AR-1927D









Intended to be used as a back-up anchor, the 6.5 mm Corkscrew does not need separate instrumentation.




Anchor Chart SLAP and Bankart Repair

2 mm SutureTak®	105
2.4 mm SutureTak®	105
2.4 mm PushLock®	106
3.5 mm SwiveLock®	107

Anchor Chart | SLAP & Bankart Repair

Product	Dimensions	Anchor	Material	Suture	Part Number
	2 mm SutureTak®				
	2 mm x 12 mm	BioComposite™ SutureTak®	β-TCP	#1 FiberWire®	AR-1934BCF-20
	2 mm x 12 mm	PEEK SutureTak®	PEEK	#1 FiberWire®	AR-1934PF-20
	2.4 mm SutureTak®				
	2.4 mm x 12 mm	BioComposite™ SutureTak®	β-TCP	#2 FiberWire®	AR-1934BCF-24
	2.4 mm x 12 mm	BioComposite™ SutureTak®	β-TCP	two #2 FiberWire®	AR-1934BCF-24-2
	2.4 mm x 12 mm	PEEK SutureTak®	PEEK	#2 FiberWire®	AR-1934PF-24
	2.4 mm x 12 mm	Bio-SutureTak®	PLDLA	#2 FiberWire®	AR-1934BF-24
	2.4 mm PushLock®				
	2.4 mm x 14 mm	PEEK PushLock®	PEEK	closed eyelet	AR-2922PS
	2.9 mm PushLock®				
	2.9 mm x 15.5 mm	BioComposite™ PushLock®	β-TCP	closed eyelet	AR-1923BC
	2.9 mm x 12.5 mm	BioComposite™ PushLock® (short)	β-TCP	closed eyelet	AR-2923BC
	2.9 mm x 15.5 mm	PEEK PushLock®	PEEK	closed eyelet	AR-1923PS
	2.9 mm x 12.5 mm	PEEK PushLock® (short)	PEEK	closed eyelet	AR-2923PS
	2.9 mm x 15.5 mm	Bio-PushLock™	PLLA	closed eyelet	AR-1923B
	3 mm SutureTak®				
	3 mm x 14.5 mm	BioComposite™ SutureTak®	β-TCP	#2 FiberWire®	AR-1934BCF
	3 mm x 14.5 mm	BioComposite™ SutureTak®	β-TCP	two #2 FiberWire®	AR-1934BCF-2
	3 mm x 14.5 mm	BioComposite™ SutureTak®	β-TCP	#2 TigerTail®	AR-1934BCFT
	3 mm x 14.5 mm	BioComposite™ SutureTak®	β-TCP	two #2 TigerTail®	AR-1934BCFT-2
	3 mm x 12.4 mm	PEEK SutureTak®	PEEK	#2 FiberWire®	AR-1934PS
	3 mm x 12.2 mm	PEEK SutureTak®	PEEK	two #2 FiberWire®	AR-1934PS-2
	3 mm x 14.5 mm	Bio-SutureTak®	PLDLA	#2 FiberWire®	AR-1934BF
	3 mm x 14.5 mm	Bio-SutureTak®	PLDLA	two #2 FiberWire®	AR-1934BF-2
	3 mm x 14.5 mm	Bio-SutureTak®	PLDLA	#2 TigerTail®	AR-1934BFT
	3 mm x 14.5 mm	Bio-SutureTak®	PLDLA	two #2 TigerTail®	AR-1934BFT-2
	3 mm x 14.5 mm	Bio-SutureTak®	PLDLA	two #2 FiberWire® & needles	AR-1934BNF
	3.5 mm SwiveLock®				
	3.5 mm x 15.8 mm	BioComposite™ SwiveLock® C	β-TCP	closed eyelet	AR-2325BCC
	3.5 mm x 15.8 mm	PEEK SwiveLock® C	PEEK	closed eyelet	AR-2325PSLC
	3.5 mm PushLock®				
	3.5 mm x 19.5 mm	BioComposite™ PushLock®	β-TCP	closed eyelet	AR-1926BC
	3.5 mm x 19.5 mm	PEEK PushLock®	PEEK	closed eyelet	AR-1926PS
	3.5 mm x 19.5 mm	Bio-PushLock™	PLLA	closed eyelet	AR-1926B
	3.7 mm SutureTak®				
	3.7 mm x 14.5 mm	Bio-SutureTak®	PLDLA	#2 FiberWire®	AR-1934BLF

2 mm SutureTak®




AR-1986

2 mm SutureTak® (BioComposite™ and PEEK) Instrumentation

Product Description	Item No.
Required Instrumentation	
Spear for 2 mm SutureTak®	AR-1986
Drill for 2 mm SutureTak®	AR-1934D-20
Drill for 2 mm SutureTak®, hard bone	AR-1934D-20-1
Optional Instrument	
Percutaneous insertion kit for 2 mm SutureTak®	AR-1934PI-20
Disposables kit for 2 mm SutureTak®	AR-1934-20DS

2.4 mm SutureTak®




AR-1948

2.4 mm SutureTak® (BioComposite™, PEEK and Bio) Instrumentation

Product Description	Item No.
Required Instrumentation	
Spear for 2.4 mm FASTak™ and 2.4 mm SutureTak®, trocar and blunt tip obturator	AR-1948
Drill for 2.4 mm SutureTak®	AR-1934D-24
Drill for 2.4 mm SutureTak®, hard bone	AR-1934D-24-1
Drill for 2.4 mm SutureTak®, very hard bone	AR-1934D-24-2
Optional Instrument	
Percutaneous insertion kit for 2.4 mm SutureTak®	AR-1934PI
FASTak™ spear	AR-1945S
2.4 mm Bio-SutureTak® disposable kit	AR-1934-24DS
Guide for 2.4 mm Bio-FASTak® and 2.4 mm SutureTak®, cannulated	AR-1313
Spear for 2.4 mm FASTak™ and 2.4 mm SutureTak®, trocar and blunt tip obturator	AR-1948
Spear w/circumferential teeth, trocar tip obturator for 2.4 mm FASTak™ and 2.4 mm SutureTak®	AR-1948CT
Set	
Bio-SutureTak® instrumentation set for 2.4 mm implants	AR-1934-24S

2.4 mm PushLock®



2.4 mm PushLock® (BioComposite™, PEEK and Bio) Instrumentation

Product Description	Item No.
Required Instrumentation	
Spear for 2.8 mm FASTak™ II, 3 mm SutureTak® and 2.9 mm PushLock®, trocar and blunt tip obturator	AR-1949
Drill for 2.4 mm PushLock®	AR-2922D-24-1
Optional Instrument	
FASTak™ II spear	AR-1949S
Guide for 2.8 mm FASTak™ II, 3 mm SutureTak®, trocar and 2.9 mm PushLock®, offset	AR-1934R
Metal offset guide, disposable	AR-1934GS
Spear for 2.8 mm FASTak™ II, 3 mm SutureTak®, trocar and 2.9 mm PushLock®, trocar tip with circumferential teeth	AR-1946


2.9 mm PushLock® (BioComposite™, PEEK and Bio) Instrumentation

Product Description	Item No.
Required Instrumentation	
Spear for 2.8 mm FASTak™ II, 3 mm SutureTak® and 2.9 mm PushLock®, trocar and blunt tip obturator	AR-1949
Drill for 2.9 mm PushLock®, hard bone	AR-1923D
Drill for 2.9 mm PushLock®, very hard bone	AR-1923DT
Optional Instrument	
Disposable kit for 2.9 mm PushLock®	AR-1923DS
FASTak™ II spear	AR-1949S
Metal offset guide, disposable	AR-1934GS
Spear for 2.8 mm FASTak™ II, 3 mm SutureTak®, trocar and 2.9 mm PushLock®, trocar tip with circumferential teeth	AR-1946

3 mm SutureTak® (BioComposite™, PEEK and Bio) Instrumentation

Product Description	Item No.
Required Instrumentation	
Spear for 2.8 mm FASTak™ II, 3 mm SutureTak® and 2.9 mm PushLock®, trocar and blunt tip obturator	AR-1949
Step drill for 3 mm Bio-SutureTak®	AR-1250LT
Optional Instrument	
Percutaneous insertion kit for 3 mm SutureTak®	AR-1934PI-30
Bio-SutureTak® disposable kit with metal spear	AR-1934DS-2
FASTak™ II spear	AR-1949S
Spear for 2.8 mm FASTak™ II, 3 mm SutureTak®, trocar and 2.9 mm PushLock®, trocar tip with circumferential teeth	AR-1946
Guide for 2.8 mm FASTak™ II, 3 mm SutureTak®, trocar and 2.9 mm PushLock®, offset	AR-1934R
Metal offset guide, disposable	AR-1934GS
Drill for 3 mm SutureTak®, spade tip	AR-1257
Set	
Bio-SutureTak® instrumentation set	AR-1934S

3.5mm SwiveLock®



AR-19407

3.5 mm SwiveLock® (BioComposite™, PEEK and Bio) Instrumentation

Product Description	Item No.
Required Instrumentation	
Spear for 3.7 mm SutureTak® and 3.5 mm PushLock®, trocar tip obturator	AR-1907
Drill for 3.5 mm SwiveLock®	AR-2325D
Optional Instrument	
Guide for 3.7 mm SutureTak® and 3.5 mm PushLock®, offset	AR-1909R
Spear for 3.7 mm SutureTak® and 3.5 mm PushLock®, trocar tip obturator with circumferential teeth	AR-1906

3.5 mm PushLock® (BioComposite™, PEEK and Bio) Instrumentation

Product Description	Item No.
Required Instrumentation	
Instability spear for 3.7 mm SutureTak® and 3.5 mm PushLock®, trocar tip obturator	AR-1907
Instability drill for 3.5 mm PushLock®, hard bone	AR-1912
RCR: Punch for 3.5 mm PushLock®	AR-1926P
Optional Instrument	
Guide for 3.7 mm SutureTak® and 3.5 mm PushLock®, offset	AR-1909R
Spear for 3.7 mm SutureTak® and 3.5 mm PushLock®, trocar tip obturator with circumferential teeth	AR-1906
Drill for 3.5 mm PushLock®, spade tip	AR-1911
PushLock® metal cannula	AR-1926MC
Disposable kit for 3.5 mm PushLock®	AR-1926DS
Disposable kit for 3.5 mm PushLock® with offset spear & drill	AR-1926DS-2

3.7 mm Bio-SutureTak® Instrumentation

Product Description	Item No.
Required Instrumentation	
Spear for 3.7 mm SutureTak® and 3.5 mm PushLock®, trocar tip obturator	AR-1907
Drill for 3.7 mm SutureTak®	AR-1908
Optional Instrument	
Spear for 3.7 mm SutureTak® and 3.5 mm PushLock®, trocar tip obturator with circumferential teeth	AR-1906
Guide for 3.7 mm SutureTak® and 3.5 mm PushLock®, offset	AR-1909R



